ATLANTIC

PRODUCTS



Product Catalogue

2026

Why Atlantic Products

At Atlantic, we don't just sell products – we deliver quality, reliability, and value that stand the test of time. Since 2005, we've been a trusted name in the marine and leisure market, and now we're bringing that same expertise to the great outdoors.

Here's why Atlantic Products are the best choice for your needs:

Trusted by Industry Leaders
Atlantic is the go-to brand for major trailer manufacturers and leading retailers across the industry. Our long-standing partnerships are a testament to the trust and confidence businesses place in our products.

Engineered for purpose
We understand the unique demands of the marine, outdoor lifestyle and heavy duty applications. Every product is purpose-built to meet the highest standards of performance, ensuring you get gear that works as hard as you do.

A Family Business with a Legacy of Excellence
Founded in 2005, Atlantic remains a family-owned and operated business with a deep commitment to quality, integrity, and customer satisfaction. When you choose Atlantic, you're not just buying a product—you're investing in a brand that values relationships and stands behind every sale.

Laboratory-Tested for Maximum Performance
At Atlantic, we take quality control seriously. Our products are tested in state-of-the-art laboratories to meet and exceed industry standards for strength, durability, and safety. From corrosion resistance to load-bearing capacity, every product is pushed to its limits to ensure flawless real-world performance in the harshest conditions.

Whether you're out on the water, on the road, or exploring the great outdoors, Atlantic Products deliver consistent performance you can trust. Join the thousands who trust Atlantic for quality, performance, and unbeatable value.

Cadet Boat Winch Series

Introducing our Cadet Boat Winch Series 5
300kg Cadet Boat Winches 6
550kg Cadet Boat Winches 7

Marine Boat Winch Series

Introducing our Marine Boat Winch Series 9
550kg Marine Boat Winches 10
725kg Marine Boat Winches 11
775kg Marine Boat Winches 12
1135kg Marine Boat Winches 13
1500kg Marine Boat Winches 14
Introducing our Cadet Electric Winch 15
2000lb Electric Marine Winch 16
3000lb Electric Marine Winch 17
3500lb Electric Marine Winch 18
Haul-It Electric Marine Winch 19

Brake Winch Series

Introducing our Compact Brake Winch Series 21
300kg Compact Brake Winches 22
500kg Compact Brake Winches 23
725kg Compact Brake Winches 24
750kg Large Brake Winch 25
1500kg Large Brake Winch 26
1500kg Large Brake Winch - Black 27
1800kg Extra Large Brake Winch 28
2500kg Car Trailer Winch 29

Winch Spare Parts

Webbing Strap 31
Galvanised Cable 32
Dyneema Rope 33
Winch Handles 34
Winch Hooks 35

Tyres & Wheels

Predator Alloy Mag Wheels and Tyres 37
X-Series Multi-Stud Alloy Mag Wheels and Tyres 38
X-Series Single-Stud Alloy Mag Wheels and Tyres 39
Blackhawk Alloy Mag Wheels and Tyres 40
Ripper Alloy Mag Wheels and Tyres 41
T-Series Alloy Mag Wheels and Tyres 42
Galvanised Wheels and Tyres 43
White Powdercoated Wheels and Tyres 44
Black Powdercoated Wheels and Tyres 45
Stepped Alloy Wheel Lugs 46

For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

Spare Wheel Mounts

Introducing our Spare Wheel Mounts Range 48
Small Spare Wheel Mount for Galvanised Boat Trailer 49
Large Spare Wheel Mount for Galvanised Boat Trailer 50
Small Spare Wheel Mount for Aluminium Boat Trailer 51
Large Spare Wheel Mount for Aluminium Boat Trailer 52
Small Spare Wheel Mount for Box Trailer 53
Large Spare Wheel Mount for Box Trailer 54
3-in-1 Beach Launcher Spare Wheel Mounts 55
Spare Wheel Carrier U-Bolt 56

Boat Trailer Rollers

Introducing our Boat Trailer Roller Range 58
Soft Wobble Rollers 59
Soft Poly Cotton Reel Rollers 60
Soft Poly Sydney Keel Rollers 61
Hard Poly Keel Rollers 62
Black Rubber Keel Rollers 63
Self-Centering Rollers 64
Bow Rollers 65

Boat Trailer Brackets

Introducing our Boat Trailer Bracket Range 67
Roller Brackets 68
Bolt-on Brackets 69
Solid Stem Wood Yoke Brackets 70
Square Tube Stem Wood Yoke Brackets 71
Angled Wood Yoke Brackets 72
Eye Post Brackets 73
Solid Stem Adjustable Stem Brackets 74
Standard Square Tube Adjustable Stem Brackets 75
Heavy Duty Square Tube Adjustable Stem Brackets 76
Wobbler Roller Brackets 77
Wobbler Roller Bracket Kits 79
Roller Spindles 80
Forged Roller Spindles 81
Tie-Down Bracket 82
Alloy Mud Guard Support Bracket 83
Roller Fasteners 84
Bracket Fasteners 85
Outboard Motor Support Brackets 86

Trailer Spare Parts

Outboard Motor Support Block 88
Trailer Blocks 89
Trailer Blocks - Pre-Bend 90
Galvanised Steel Skids 91
Teflon Skid Strips 92
Safety Chains 93
Rated D & Bow Shackles 94
45×6 765mm Slipper Springs 95
45×6 765mm Hook Tail Springs 96
45×8 710mm Slipper Springs 97
45×6 625mm Eye-to-Eye Springs 98
45×8 710mm Eye-to-Eye Springs 99
Rocker Rollers Springs 100
Parabolic Springs 101

Trailer Accessories

Introducing our Boat Trailer LED Lights Range 104
LED Lights 105
Flat Plug Connector Kit 106
LED Clearance Lights (Amber + Red) 107
LED Clearance Lights (White) 108
LED Light Wiring Kits (2-core) 109
LED Light Wiring Kits (4-core) 110
LED Light Kits 111
Trailer Light Boards 112
Jerry Can Holder with Mount 113
Brake Cable Assembly Kit 114
Brake Cable Spare Parts 115
Wheel Bearing Kits 116
Jet-ski Trailer Posts 117
Tinny Boat Trailer Posts 118
Large Trailer Posts 119

Towing Accessories

Anti-Rattle Hitch Bolt 121
Anti-Rattle Hitch Plate 122
Vertical Bike Racks 123
Garage Stand for Vertical Bike Rack 124
Trailer Lock 125
Tow Ball Products 126
Tow Bar Products 127
Automatic Boat Latch 128

Tie-Down Ratchets

How to secure a Jet-ski with our Tie-Downs 130
Tie-Downs - Small Boats 131
Tie-Downs - Large Boats 133

ATLANTIC
PRODUCTS

Introducing our Cadet Boat Winch Series



Small in size, big on performance – our Atlantic Cadet Boat Winch Range is purpose-built for pulling jet-skis, tinnies, and smaller watercraft with ease.

Available in 300kg (3:1 ratio) and 550kg (4:1 ratio) models, these compact winches deliver smooth and reliable pulling power in a lightweight design that's perfect for smaller trailers.

Each winch is Dacromet finish for outstanding corrosion resistance in harsh marine environments, and designed with the same attention to detail and toughness as our larger models.

Whether you're trailering a tinny for a weekend on the water or hauling a jet-ski after a long day of fun, Atlantic Cadet Winches get the job done – quickly, safely, and without compromise.

Cadet Boat Winches are not intended to serve as load-bearing devices whilst transporting your jet-ski or tinny. Instead, secure your vessel with a rated safety chain and appropriate tie-downs to ensure safe, secure, and compliant transportation.

To ensure smooth operation and longevity of your Cadet Winch, grease the winch gears regularly.

MAINTENANCE GUIDE



Pawl lever

Compact, yet powerful

Dacromet finish

Removable Handle

CODE: CMW-HANDLE


S Hook included

Machine-cut gears

Up to 550kg capacity

Webbing, Cable or Rope

CODE: SMW008R



For secure installation, we recommend using three M10 x 75mm bolts complete with washers and nuts to mount the winch to the trailer posts.

ATLANTIC PRODUCTS

300kg Cadet Boat Winch

3:1 Gear Ratio

- Webbing, rope, cable & no cable options
- Rust-resistant Dacromet finish
- Machine-cut gears



MARINE VESSEL SIZING GUIDE




SUITABLE FOR JET-SKI & TINNY'S


INCLINE PULL




PRODUCT TYPE	WEBBING STRAP	GALVANISED CABLE	DYNEEMA ROPE	NO CABLE
PRODUCT CODE	CMW002W	CMW003C	SMW007R	CMW001NC
GEAR RATIO	3:1	3:1	3:1	3:1
HOOK TYPE	S Hook	S Hook	S Hook	–
APPLICATION	Incline Pull	Incline Pull	Incline Pull	Incline Pull
VESSEL TYPE	Boat Trailer	Boat Trailer	Boat Trailer	Boat Trailer
CABLE/WEBBING/ROPE LENGTH	4.5m	6m x 4mm	6m x 4mm	–
PULL CAPACITY	300kg (660lb)	300kg (660lb)	300kg (660lb)	300kg (660lb)
RATCHET TYPE	Lever Action	Lever Action	Lever Action	Lever Action
UNIT WEIGHT	2.4kg	2.4kg	2.4kg	2.4kg
DIMENSIONS (W x H x D)	257 x 120 x 155	257 x 120 x 155	257 x 120 x 155	257 x 120 x 155
QUANTITY	4 units per carton	4 units per carton	4 units per carton	4 units per carton



FRONT SPECIFICATIONS



SIDE SPECIFICATIONS



BASE SPECIFICATIONS



For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

LEEA ASSOCIATE MEMBER

NATM

ENGINEERING TESTED

ATLANTIC PRODUCTS

550kg Cadet Boat Winch

4:1 Gear Ratio

- Webbing, rope, cable & no cable options
- Rust-resistant Dacromet finish
- Machine-cut gears



MARINE VESSEL SIZING GUIDE




SUITABLE FOR JET-SKI & TINNY'S


INCLINE PULL




PRODUCT TYPE	WEBBING STRAP	GALVANISED CABLE	DYNEEMA ROPE	NO CABLE
PRODUCT CODE	CMW005W	CMW006C	SMW008R	CMW004NC
GEAR RATIO	4:1	4:1	4:1	4:1
HOOK TYPE	S Hook	S Hook	S Hook	–
APPLICATION	Incline Pull	Incline Pull	Incline Pull	Incline Pull
VESSEL TYPE	Boat Trailer	Boat Trailer	Boat Trailer	Boat Trailer
CABLE/WEBBING/ROPE LENGTH	6m	6m x 4mm	6m x 4mm	–
PULL CAPACITY	550kg (1200lb)	550kg (1200lb)	550kg (1200lb)	550kg (1200lb)
RATCHET TYPE	Lever Action	Lever Action	Lever Action	Lever Action
UNIT WEIGHT	3kg	3kg	3kg	3kg
DIMENSIONS (W x H x D)	254 x 144 x 193	254 x 144 x 193	254 x 144 x 193	254 x 144 x 193
QUANTITY	4 units per carton	4 units per carton	4 units per carton	4 units per carton



FRONT SPECIFICATIONS



SIDE SPECIFICATIONS



BASE SPECIFICATIONS



ATLANTIC
PRODUCTS

Introducing our Marine Boat Winch Series

Our Marine Winch Range is the result of decades of engineering, refinement, and real-world testing. Trusted by boaties across Australia, these winches are built tough to perform in the harshest marine environments.

Each winch is Dacromet finished to deliver unmatched corrosion resistance, giving you long-lasting protection. Designed with a fully enclosed side cover, they offer added durability and protection for internal components, ensuring smooth, reliable performance year after year.

With capacities ranging from 550kg to 1500kg, we offer the perfect solution for everything from small tinnies to larger vessels. Choose from single-speed, 2-speed and 3-speed models that allow effortless control, so pulling your boat on to the trailer is smoother, safer, and easier than ever.


Backed by rigorous testing, our marine winches are not just tough, they're proven. When you choose Atlantic, you're choosing industry-leading strength, reliability, and innovation.

Marine Boat Winches are not intended to serve as load-bearing devices whilst transporting your boat. Instead, secure your vessel with a rated safety chain and appropriate tie-downs to ensure safe, secure, and compliant transportation.

To ensure smooth operation and longevity of your Marine Winch, grease the winch gears regularly.

MAINTENANCE GUIDE





For secure installation, we recommend using three M10 x 75mm bolts complete with washers and nuts to mount the winch to the trailer posts.

ATLANTIC PRODUCTS

550kg Marine Boat Winch

3:1 Gear Ratio

- Webbing, rope, cable & no cable options
- Rust-resistant Dacromet finish
- Machine-cut gears




MARINE VESSEL SIZING GUIDE




SUITABLE FOR BOATS UP TO 14FT


INCLINE PULL




PRODUCT TYPE	DYNEEMA ROPE	WEBBING STRAP	GALVANISED CABLE	NO CABLE
PRODUCT CODE	MW201R	MW202W	MW212C	MW213NC
GEAR RATIO	3:1	3:1	3:1	3:1
HOOK TYPE	S Hook	S Hook	S Hook	–
APPLICATION	Incline Pull	Incline Pull	Incline Pull	Incline Pull
VESSEL TYPE	Boat Trailer	Boat Trailer	Boat Trailer	Boat Trailer
CABLE/WEBBING/ROPE LENGTH	6m x 4mm	6m	6m x 4mm	–
PULL CAPACITY	550kg (1200lb)	550kg (1200lb)	550kg (1200lb)	550kg (1200lb)
RATCHET TYPE	Pawl Lever	Pawl Lever	Pawl Lever	Pawl Lever
UNIT WEIGHT	4.12kg	4.33kg	4.44kg	4.07kg
DIMENSIONS (W x H x D)	304 x 248 x 191	304 x 248 x 191	304 x 248 x 191	304 x 248 x 191
QUANTITY	4 units per carton	4 units per carton	4 units per carton	4 units per carton



FRONT SPECIFICATIONS



SIDE SPECIFICATIONS



BASE SPECIFICATIONS



For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

LEEA ASSOCIATE MEMBER

NATM

ENGINEERING TESTED

ATLANTIC PRODUCTS

725kg Marine Boat Winch

5:1 Gear Ratio

- Webbing, rope, cable & no cable options
- Rust-resistant Dacromet finish
- Machine-cut gears



MARINE VESSEL SIZING GUIDE


JET-SKI | TINNY | 14ft | 18ft | 20ft | 22ft | 25ft

SUITABLE FOR BOATS UP TO 18FT


INCLINE PULL




PRODUCT TYPE	DYNEEMA ROPE	WEBBING STRAP	GALVANISED CABLE	NO CABLE
PRODUCT CODE	MW203R	MW204W	MW214C	MW215NC
GEAR RATIO	5:1	5:1	5:1	5:1
HOOK TYPE	Snap Hook	Snap Hook	Snap Hook	–
APPLICATION	Incline Pull	Incline Pull	Incline Pull	Incline Pull
VESSEL TYPE	Boat Trailer	Boat Trailer	Boat Trailer	Boat Trailer
CABLE/WEBBING/ROPE LENGTH	6m x 5mm	6m	6m x 4mm	–
PULL CAPACITY	725kg (1600lb)	725kg (1600lb)	725kg (1600lb)	725kg (1600lb)
RATCHET TYPE	Pawl Lever	Pawl Lever	Pawl Lever	Pawl Lever
UNIT WEIGHT	4.33kg	4.55kg	4.9kg	4.13kg
DIMENSIONS (W x H x D)	304.5 x 248 x 188	304.5 x 248 x 188	304.5 x 248 x 188	304.5 x 248 x 188
QUANTITY	4 units per carton	4 units per carton	4 units per carton	4 units per carton



FRONT SPECIFICATIONS



SIDE SPECIFICATIONS



BASE SPECIFICATIONS



ATLANTIC PRODUCTS

775kg Marine Boat Winch

5:1/1:1 Gear Ratio

- Webbing, rope, cable & no cable options
- Rust-resistant Dacromet finish
- Machine-cut gears

MARINE VESSEL SIZING GUIDE




SUITABLE FOR BOATS UP TO 20FT

INCLINE PULL







PRODUCT TYPE	DYNEEMA ROPE	WEBBING STRAP	GALVANISED CABLE	NO CABLE
PRODUCT CODE	MW205R	MW206W	MW217C	MW218NC
GEAR RATIO	5:1/1:1	5:1/1:1	5:1/1:1	5:1/1:1
HOOK TYPE	Snap Hook	Snap Hook	Snap Hook	–
APPLICATION	Incline Pull	Incline Pull	Incline Pull	Incline Pull
VESSEL TYPE	Boat Trailer	Boat Trailer	Boat Trailer	Boat Trailer
CABLE/WEBBING/ROPE LENGTH	7.5m x 5mm	7.5m	7.5m x 5mm	–
PULL CAPACITY	775kg (1700lb)	775kg (1700lb)	775kg (1700lb)	775kg (1700lb)
RATCHET TYPE	Pawl Lever	Pawl Lever	Pawl Lever	Pawl Lever
UNIT WEIGHT	4.55kg	4.86kg	5.24kg	4.26kg
DIMENSIONS (W x H x D)	319 x 248 x 190.5	319 x 248 x 190.5	319 x 248 x 190.5	319 x 248 x 190.5
QUANTITY	4 units per carton	4 units per carton	4 units per carton	4 units per carton



FRONT SPECIFICATIONS



SIDE SPECIFICATIONS



BASE SPECIFICATIONS



For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

LEEA ASSOCIATE MEMBER

NATM

ENGINEERING TESTED

ATLANTIC PRODUCTS

1135kg Marine Boat Winch

10:1/5:1/1:1 Gear Ratio

- Webbing, rope, cable & no cable options
- Rust-resistant Dacromet finish
- Machine-cut gears



MARINE VESSEL SIZING GUIDE




SUITABLE FOR BOATS UP TO 22FT


INCLINE PULL




PRODUCT TYPE	DYNEEMA ROPE	WEBBING STRAP	GALVANISED CABLE	NO CABLE
PRODUCT CODE	MW207R	MW208W	MW220C	MW221NC
GEAR RATIO	10:1/5:1/1:1	10:1/5:1/1:1	10:1/5:1/1:1	10:1/5:1/1:1
HOOK TYPE	Snap Hook	Snap Hook	Snap Hook	–
APPLICATION	Incline Pull	Incline Pull	Incline Pull	Incline Pull
VESSEL TYPE	Boat Trailer	Boat Trailer	Boat Trailer	Boat Trailer
CABLE/WEBBING/ROPE LENGTH	7.5m x 6mm	7.5m	7.5m x 6mm	–
PULL CAPACITY	1135kg (2500lb)	1135kg (2500lb)	1135kg (2500lb)	1135kg (2500lb)
RATCHET TYPE	Pawl Lever	Pawl Lever	Pawl Lever	Pawl Lever
UNIT WEIGHT	5.15kg	5.39kg	5.98kg	4.79kg
DIMENSIONS (W x H x D)	312 x 252 x 190.5	312 x 252 x 190.5	312 x 252 x 190.5	312 x 252 x 190.5
QUANTITY	4 units per carton	4 units per carton	4 units per carton	4 units per carton



FRONT SPECIFICATIONS



SIDE SPECIFICATIONS



BASE SPECIFICATIONS



LEEA ASSOCIATE MEMBER

NATM

ENGINEERING TESTED


For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

ATLANTIC PRODUCTS

1500kg Marine Boat Winch

15:1/5:1/1:1 Gear Ratio

- Webbing, rope, cable & no cable options
- Rust-resistant Dacromet finish
- Machine-cut gears



MARINE VESSEL SIZING GUIDE




SUITABLE FOR BOATS UP TO 25FT


INCLINE PULL




PRODUCT TYPE	DYNEEMA ROPE	WEBBING STRAP	GALVANISED CABLE	NO CABLE
PRODUCT CODE	MW209R	MW210W	MW223C	MW224NC
GEAR RATIO	15:1/5:1/1:1	15:1/5:1/1:1	15:1/5:1/1:1	15:1/5:1/1:1
HOOK TYPE	Snap Hook	Snap Hook	Snap Hook	–
APPLICATION	Incline Pull	Incline Pull	Incline Pull	Incline Pull
VESSEL TYPE	Boat Trailer	Boat Trailer	Boat Trailer	Boat Trailer
CABLE/WEBBING/ROPE LENGTH	7.5m x 7mm	7.5m	7.5m x 7mm	–
PULL CAPACITY	1500kg (3300lb)	1500kg (3300lb)	1500kg (3300lb)	1500kg (3300lb)
RATCHET TYPE	Pawl Lever	Pawl Lever	Pawl Lever	Pawl Lever
UNIT WEIGHT	6.5kg	6.9kg	7.3kg	6.05kg
DIMENSIONS (W x H x D)	304 x 245 x 234.5	304 x 245 x 234.5	304 x 245 x 234.5	304 x 245 x 234.5
QUANTITY	3 units per carton	3 units per carton	3 units per carton	3 units per carton



FRONT SPECIFICATIONS



SIDE SPECIFICATIONS



BASE SPECIFICATIONS



For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

LEEA ASSOCIATE MEMBER

NATM

ENGINEERING TESTED

Electric Marine Boat Winches are not intended to serve as load-bearing devices whilst transporting your boat. Instead, secure your vessel with a rated safety chain and appropriate tie-downs to ensure safe, secure, and compliant transportation.

To ensure smooth operation and longevity of your Electric Marine Winch, grease the winch gears regularly.

ELECTRIC MARINE WINCH USER GUIDE



Emergency crank handle
CODE: CEWHANDLE

Protective cover

280-350W motor

Cable or Rope

Snap hook
CODE: SNAPHOOK


3500lb pulling power

Adjustable clutch

Power in / out

Remote included

Mounting bracket
CODE: CEW3500R



For secure installation, we recommend using three M10 x 75mm bolts complete with washers and nuts to mount the winch to the trailer posts.

ATLANTIC PRODUCTS

2000lb Electric Marine Winch

460:1 Gear Ratio



- 12V / 280w motor
- Power-in / free spool-out
- Corrosion-resistant housing

MARINE VESSEL SIZING GUIDE



SUITABLE FOR BOATS UP TO 18FT

INCLINE PULL

Discover unparalleled value and performance with our entry-level electric marine winches, designed to deliver superior functionality at budget-friendly prices. Choose from our range available in two different gear ratio sizes, with load capacity ratings operating from 2000lb to 3500lb.

PRODUCT TYPE	GALVANISED CABLE
PRODUCT CODE	CEW2000C
GEAR RATIO	460:1
HOOK TYPE	Snap Hook
APPLICATION	Incline Pull
VESSEL TYPE	Boat Trailer
CABLE/WEBBING/ROPE LENGTH	9m x 4.8mm
PULL CAPACITY	2000lb
RATCHET TYPE	Gearshift
UNIT WEIGHT	10.8kg
DIMENSIONS (W x H x D)	241 x 191 x 254
QUANTITY	2 units per carton

ELECTRIC MARINE WINCH SPARE PARTS


ELECTRIC WINCH HANDLE
CODE: CEW-HANDLE



ELECTRIC WINCH REMOTE
CODE: CEWREMOTE2





ELECTRIC WINCH POWERCORD
CODE: CEW-POWERCORD



USER GUIDE

WATCH THIS VIDEO TO SETUP YOUR ELECTRIC MARINE WINCH.





SIDE SPECIFICATIONS

BASE SPECIFICATIONS

For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

LEEA ASSOCIATE MEMBER

NATM

ENGINEERING TESTED

ATLANTIC PRODUCTS

3000lb Electric Marine Winch

729:1 Gear Ratio



- 12V / 300w motor
- Power-in / power-out
- Corrosion-resistant housing

MARINE VESSEL SIZING GUIDE

JET-SKI | TINNY | 14ft | 18ft | 20ft | 22ft | 25ft

SUITABLE FOR BOATS UP TO 22FT

INCLINE PULL

Discover unparalleled value and performance with our entry-level electric marine winches, designed to deliver superior functionality at budget-friendly prices. Choose from our range available in two different gear ratio sizes, with load capacity ratings operating from 2000lb to 3500lb.

PRODUCT TYPE	GALVANISED CABLE
PRODUCT CODE	CEW3000C
GEAR RATIO	729:1
HOOK TYPE	Snap Hook
APPLICATION	Incline Pull
VESSEL TYPE	Boat Trailer
CABLE/WEBBING/ROPE LENGTH	9m x 5.5mm
PULL CAPACITY	3000lb
RATCHET TYPE	Gearshift
UNIT WEIGHT	10.8kg
DIMENSIONS (W x H x D)	241 x 191 x 254
QUANTITY	2 units per carton

ELECTRIC MARINE WINCH SPARE PARTS


ELECTRIC WINCH HANDLE
CODE: CEW-HANDLE



ELECTRIC WINCH REMOTE
CODE: CEWREMOTE3





ELECTRIC WINCH POWERCORD
CODE: CEW-POWERCORD



USER GUIDE

WATCH THIS VIDEO TO SETUP YOUR ELECTRIC MARINE WINCH.





SIDE SPECIFICATIONS

BASE SPECIFICATIONS

ATLANTIC PRODUCTS

3500lb Electric Marine Winch

729:1 Gear Ratio



- 12V / 350w motor
- Power-in / power-out
- Corrosion-resistant housing

MARINE VESSEL SIZING GUIDE



SUITABLE FOR BOATS UP TO 22FT

INCLINE PULL

Discover unparalleled value and performance with our entry-level electric marine winches, designed to deliver superior functionality at budget-friendly prices. Choose from our range available in two different gear ratio sizes, with load capacity ratings operating from 2000lb to 3500lb.

PRODUCT TYPE	DYNEEMA ROPE
PRODUCT CODE	CEW3500R
GEAR RATIO	729:1
HOOK TYPE	Snap Hook
APPLICATION	Incline Pull
VESSEL TYPE	Boat Trailer
CABLE/WEBBING/ROPE LENGTH	10.5m x 5.5mm
PULL CAPACITY	3500lb
RATCHET TYPE	Gearshift
UNIT WEIGHT	12kg
DIMENSIONS (W x H x D)	241 x 191 x 254
QUANTITY	2 units per carton

ELECTRIC MARINE WINCH SPARE PARTS


ELECTRIC WINCH HANDLE
CODE: CEW-HANDLE



ELECTRIC WINCH REMOTE
CODE: CEWREMOTE3





ELECTRIC WINCH POWERCORD
CODE: CEW-POWERCORD



USER GUIDE

WATCH THIS VIDEO TO SETUP YOUR ELECTRIC MARINE WINCH.





SIDE SPECIFICATIONS

BASE SPECIFICATIONS

For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

LEEA ASSOCIATE MEMBER

NATM

ENGINEERING TESTED

3500lb Electric Marine Winch

729:1 Gear Ratio



- 12V / 350w motor
- Power-in / power-out
- Corrosion-resistant housing

MARINE VESSEL SIZING GUIDE



SUITABLE FOR BOATS UP TO 22FT

INCLINE PULL

Discover unparalleled value and performance with our entry-level electric marine winches, designed to deliver superior functionality at budget-friendly prices. Choose from our range available in two different gear ratio sizes, with load capacity ratings operating from 2000lb to 3500lb.

PRODUCT TYPE	HEAVY-GAUGE GALVANISED CABLE
PRODUCT CODE	HEW3500C
GEAR RATIO	729:1
HOOK TYPE	Snap Hook
APPLICATION	Incline Pull
VESSEL TYPE	Boat Trailer
CABLE/WEBBING/ROPE LENGTH	10.5m x 5.5mm
PULL CAPACITY	3500lb
RATCHET TYPE	Gearshift
UNIT WEIGHT	12kg
DIMENSIONS (W x H x D)	241 x 191 x 254
QUANTITY	2 units per carton

ELECTRIC MARINE WINCH SPARE PARTS

ELECTRIC WINCH HANDLE
CODE: CEW-HANDLE



ELECTRIC WINCH REMOTE
CODE: CEWREMOTE3





ELECTRIC WINCH POWERCORD
CODE: CEW-POWERCORD



USER GUIDE

WATCH THIS VIDEO TO SETUP YOUR ELECTRIC MARINE WINCH.





SIDE SPECIFICATIONS

BASE SPECIFICATIONS

ATLANTIC
PRODUCTS

Introducing our Brake Winch Series



Our Brake Winch Range is the product of over 20 years of engineering, testing and industry refinement. Trusted across Australia, these winches are built for precision lifting in the toughest conditions.

Each winch features an automatic load-holding brake system that engages under tension. Providing safe, controlled lowering and eliminating the risk of free-spool. Dacromet finished for superior corrosion resistance, they're made to last in marine, industrial, and rural environments.

Available in a variety of capacities and configurations, they’re perfect for lifting and lowering heavy loads with confidence. Built with fully enclosed gear housings and heat treated components. Every unit delivers smooth and consistent performance, job after job.

Tested under load and engineered for total control, Atlantic brake winches deliver reliability where it matters most.

When you choose Atlantic, you're choosing proven safety, strength, and long-term performance.

A minimum load of 50kg is required in order to activate the braking mechanism of our brake winches.

To ensure smooth operation and longevity of your Brake Winch, grease the winch gears regularly.


MAINTENANCE GUIDE

- Machine-cut gears
- Galvanised cable
- Self actuating braking mechanism
- Dacromet finish
- Compatible with various rigs
- Stainless steel option
- Protective cover
- Compact design
- Smooth and controlled operation
- Full cover option
- Engineering tested
- Removable handle



CODE: BW230C

CODE: BW-HANDLE



For secure installation, we recommend using three M10 x 75mm bolts complete with washers and nuts to mount the brake winch.

ATLANTIC PRODUCTS

300kg Compact Brake Winch

5:1 Gear Ratio

- Cable, rope and no cable options
- Rust-resistant Dacromet finish
- NEW: Available in stainless-steel



SIZING GUIDE

300kg | 500kg | 725kg

SUITABLE FOR UP TO 300KG


DIRECT LIFTING









PRODUCT TYPE	GALVANISED CABLE	DYNEEMA ROPE	NO CABLE
PRODUCT CODE	BW230C	BW230R	BW240NC
GEAR RATIO	5:1	5:1	5:1
HOOK TYPE	Snap Hook	Snap Hook	–
APPLICATION	Direct Lift	Direct Lift	Direct Lift
CABLE/WEBBING/ROPE LENGTH	7.5m x 5mm	7.5m x 5mm	–
LIFT CAPACITY	300kg (660lb)	300kg (660lb)	300kg (660lb)
ULTIMATE BRAKE LOAD	1479kg	1479kg	–
ULTIMATE TENSILE STRESS	14.5kN	14.5kN	–
UNIT WEIGHT	5.56kg	5.56kg	4.58kg
DIMENSIONS (W x H x D)	265 x 254 x 190.5	265 x 254 x 190.5	265 x 254 x 190.5
QUANTITY	4 units per carton	4 units per carton	4 units per carton



FRONT SPECIFICATIONS



SIDE SPECIFICATIONS



BASE SPECIFICATIONS

When to use a Brake Winch?

- Vertical or direct lifting applications
- Situations requiring controlled descent
- Minimum load of 30kg to activate braking mechanism

LEEA ASSOCIATE MEMBER | NATM | ENGINEERING TESTED

ATLANTIC PRODUCTS

500kg Compact Brake Winch

10:1 Gear Ratio

- Cable, rope and no cable options
- Rust-resistant Dacromet finish
- NEW: Available in stainless-steel



SIZING GUIDE




SUITABLE FOR UP TO 500KG


DIRECT LIFTING









PRODUCT TYPE	GALVANISED CABLE	DYNEEMA ROPE	NO CABLE
PRODUCT CODE	BW260C	BW260R	BW280NC
GEAR RATIO	10:1	10:1	10:1
HOOK TYPE	Snap Hook	Snap Hook	–
APPLICATION	Direct Lift	Direct Lift	Direct Lift
CABLE/WEBBING/ROPE LENGTH	7.5m x 6mm	7.5m x 6mm	–
LIFT CAPACITY	500kg (1100lb)	500kg (1100lb)	500kg (1100lb)
ULTIMATE BRAKE LOAD	1948kg	1948kg	–
ULTIMATE TENSILE STRESS	19.1kN	19.1kN	–
UNIT WEIGHT	6.09kg	6.09kg	4.90kg
DIMENSIONS (W x H x D)	265 x 254 x 190.5	265 x 254 x 190.5	265 x 254 x 190.5
QUANTITY	4 units per carton	4 units per carton	4 units per carton



FRONT SPECIFICATIONS



SIDE SPECIFICATIONS



BASE SPECIFICATIONS

When to use a Brake Winch?

- Vertical or direct lifting applications
- Situations requiring controlled descent
- Minimum load of 30kg to activate braking mechanism

725kg Compact Brake Winch

15:1 Gear Ratio

- Cable, rope and no cable options
- Rust-resistant Dacromet finish
- Hardened steel bushes



SIZING GUIDE




SUITABLE FOR UP TO 725KG


DIRECT LIFTING




PRODUCT TYPE	GALVANISED CABLE	NO CABLE
PRODUCT CODE	BW290C	BW290NC
GEAR RATIO	15:1	15:1
HOOK TYPE	Snap Hook	–
APPLICATION	Direct Lift	Direct Lift
CABLE/WEBBING/ROPE LENGTH	8m x 8mm	–
LIFT CAPACITY	725kg (1600lb)	725kg (1600lb)
ULTIMATE BRAKE LOAD	3503kg	–
ULTIMATE TENSILE STRESS	34.25kN	–
UNIT WEIGHT	10.5kg	–
DIMENSIONS (W x H x D)	265 x 265.5 x 251.5	–
QUANTITY	3 units per carton	3 units per carton



FRONT SPECIFICATIONS



SIDE SPECIFICATIONS



BASE SPECIFICATIONS

Brake Winches differ from conventional hand winches by incorporating a mechanical load-actuated brake system.

This internal mechanism automatically engages under tension, allowing the winch to hold its position without the need for a manual lock or ratchet pawl.

When the operator releases the handle, the brake engages instantly, preventing unintentional load descent or roll-back.

Note: Requires a minimum load of 50kg.

Perfect for a range of lifting applications including:

- Agriculture and Farming
- Industrial
- Manufacturing
- Events and Entertainment

For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

ATLANTIC PRODUCTS

750kg Large Brake Winch

8:1 Gear Ratio

- Machine-cut gears
- Rust-resistant Dacromet finish
- Hardened steel bushes



SIZING GUIDE



SUITABLE FOR UP TO 750KG

DIRECT LIFTING



PRODUCT TYPE	NO CABLE
PRODUCT CODE	LBW620NC
GEAR RATIO	8:1
HOOK TYPE	–
APPLICATION	Direct Lift
MAXIMUM DRUM CAPACITY	45m x 6mm
LIFT CAPACITY	750kg (1650lb)
ULTIMATE BRAKE LOAD	5960kg
ULTIMATE TENSILE STRESS	55.8kN
UNIT WEIGHT	22.8kg
DIMENSIONS (W x H x D)	413 x 267 x 234
QUANTITY	1 unit per carton

Brake Winches differ from conventional hand winches by incorporating a mechanical load-actuated brake system.


This internal mechanism automatically engages under tension, allowing the winch to hold its position without the need for a manual lock or ratchet pawl.

When the operator releases the handle, the brake engages instantly, preventing unintentional load descent or roll-back.


Note: Requires a minimum load of 50kg.

Perfect for a range of lifting applications including:


- Agriculture and Farming
- Industrial
- Manufacturing
- Events and Entertainment



FRONT SPECIFICATIONS



SIDE SPECIFICATIONS



BASE SPECIFICATIONS

ATLANTIC PRODUCTS

1500kg Large Brake Winch

15:1 Gear Ratio

- Machine-cut gears
- Hardened steel bushes
- Rust-resistant Dacromet finish



SIZING GUIDE



SUITABLE FOR UP TO 1500KG

DIRECT LIFTING



PRODUCT TYPE	NO CABLE
PRODUCT CODE	LBW650NC
GEAR RATIO	15:1
HOOK TYPE	–
APPLICATION	Direct Lift
MAXIMUM DRUM CAPACITY	45m x 6mm
LIFT CAPACITY	1500kg (3300lb)
ULTIMATE BRAKE LOAD	7176kg
ULTIMATE TENSILE STRESS	70.38kN
UNIT WEIGHT	24kg
DIMENSIONS (W x H x D)	413 x 267 x 234
QUANTITY	1 unit per carton

Brake Winches differ from conventional hand winches by incorporating a mechanical load-actuated brake system.


This internal mechanism automatically engages under tension, allowing the winch to hold its position without the need for a manual lock or ratchet pawl.

When the operator releases the handle, the brake engages instantly, preventing unintentional load descent or roll-back.


Note: Requires a minimum load of 50kg.

Perfect for a range of lifting applications including:


- Agriculture and Farming
- Industrial
- Manufacturing
- Events and Entertainment



FRONT SPECIFICATIONS



SIDE SPECIFICATIONS



BASE SPECIFICATIONS

For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

LEEA ASSOCIATE MEMBER

NATM

ENGINEERING TESTED

1500kg Large Brake Winch

15:1 Gear Ratio

- Machine-cut gears
- 25m x 10mm Galvanised Cable + D-Shackle
- Dacromet with black powder-coat finish

SIZING GUIDE



SUITABLE FOR UP TO 1500KG

DIRECT LIFTING





PRODUCT TYPE	GALVANISED CABLE
PRODUCT CODE	LBW650-25X10DS
GEAR RATIO	15:1
HOOK TYPE	Rated D-Shackle
APPLICATION	Direct Lift
CABLE/WEBBING/ROPE LENGTH	25m x 10mm
LIFT CAPACITY	1500kg (3300lb)
ULTIMATE BRAKE LOAD	6319kg
ULTIMATE TENSILE STRESS	61.97kN
UNIT WEIGHT	35kg
DIMENSIONS (W x H x D)	413 x 267 x 234
QUANTITY	1 unit per carton

Brake Winches differ from conventional hand winches by incorporating a mechanical load-actuated brake system.


This internal mechanism automatically engages under tension, allowing the winch to hold its position without the need for a manual lock or ratchet pawl.

When the operator releases the handle, the brake engages instantly, preventing unintentional load descent or roll-back.


Note: Requires a minimum load of 50kg.

Perfect for a range of lifting applications including:


- Agriculture and Farming
- Industrial
- Manufacturing
- Events and Entertainment



FRONT SPECIFICATIONS



SIDE SPECIFICATIONS



BASE SPECIFICATIONS

ATLANTIC PRODUCTS

1800kg Extra Large Brake Winch

15:1 Gear Ratio

- Machine-cut gears
- Hardened steel bushes
- Rust-resistant Dacromet finish



SIZING GUIDE

750kg | 1500kg | 1800kg

SUITABLE FOR UP TO 1800KG

DIRECT LIFTING



PRODUCT TYPE	NO CABLE
PRODUCT CODE	LBW680NC
GEAR RATIO	15:1
HOOK TYPE	–
APPLICATION	Direct Lift
MAXIMUM DRUM CAPACITY	125m x 6mm
LIFT CAPACITY	1800kg (3960lb)
ULTIMATE BRAKE LOAD	8157kg
ULTIMATE TENSILE STRESS	80kN
UNIT WEIGHT	30kg
DIMENSIONS (W x H x D)	572 x 450 x 280
QUANTITY	1 unit per carton

Brake Winches differ from conventional hand winches by incorporating a mechanical load-actuated brake system.


This internal mechanism automatically engages under tension, allowing the winch to hold its position without the need for a manual lock or ratchet pawl.

When the operator releases the handle, the brake engages instantly, preventing unintentional load descent or roll-back.


Note: Requires a minimum load of 50kg.

Perfect for a range of lifting applications including:


- Agriculture and Farming
- Industrial
- Manufacturing
- Events and Entertainment



FRONT SPECIFICATIONS



SIDE SPECIFICATIONS



BASE SPECIFICATIONS

For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

LEEA ASSOCIATE MEMBER

NATM

ENGINEERING TESTED

ATLANTIC PRODUCTS

2500kg Car Trailer Winch

15:1 Gear Ratio

- Machine-cut gears
- 15m x 10mm Dyneema Rope
- Dacromet with black powder-coat finish



SIZING GUIDE



SUITABLE FOR UP TO 2500KG

DIRECT LIFTING



PRODUCT TYPE	DYNEEMA ROPE
PRODUCT CODE	CTW2500R
GEAR RATIO	15:1
HOOK TYPE	Snap Hook
APPLICATION	Incline Pull
CABLE/WEBBING/ROPE LENGTH	15m x 10mm
PULL CAPACITY	2500kg (5500lb)
ULTIMATE BRAKE LOAD	7176kg
ULTIMATE TENSILE STRESS	70.38kN
UNIT WEIGHT	26kg
DIMENSIONS (W x H x D)	413 x 267 x 234
QUANTITY	1 unit per carton

Brake Winches differ from conventional hand winches by incorporating a mechanical load-actuated brake system.


This internal mechanism automatically engages under tension, allowing the winch to hold its position without the need for a manual lock or ratchet pawl.

When the operator releases the handle, the brake engages instantly, preventing unintentional load descent or roll-back.


Note: Requires a minimum load of 50kg.

Perfect for a range of lifting applications including:


- Agriculture and Farming
- Industrial
- Manufacturing
- Events and Entertainment



FRONT SPECIFICATIONS



SIDE SPECIFICATIONS



BASE SPECIFICATIONS

ATLANTIC
PRODUCTS



Winch Spare Parts

ATLANTIC PRODUCTS

Webbing Strap

Hook included



- Lightweight
- Reinforced nylon stitching
- Engineering-tested by NATA
- Available in 3 lengths

MARINE VESSEL SIZING GUIDE



SUITABLE FOR BOATS UP TO 20FT

1000kg RATED CAPACITY



WEBBING LENGTH	4.5 METRES	6 METRES	7.5 METRES
PRODUCT NAME		Webbing Strap with Snap Hook	
PRODUCT CODE	45MWSNHK	6MWSNHK	75MWSNHK
HOOK TYPE	Snap Hook	Snap Hook	Snap Hook
BOAT SIZE	Jet-ski / Tinny	Up to 18ft	Up to 20ft
RATED CAPACITY	400kg	700kg	1000kg
QUANTITY	10 units per carton	10 units per carton	10 units per carton



WEBBING LENGTH	4.5 METRES	6 METRES
PRODUCT NAME	Webbing Strap with S Hook	
PRODUCT CODE	45MWSHK	6MWSHK
HOOK TYPE	S Hook	S Hook
BOAT SIZE	Jet-ski / Tinny	Up to 14ft
RATED CAPACITY	300kg	500kg
QUANTITY	10 units per carton	10 units per carton

INSTALLATION GUIDE

WATCH THIS VIDEO ON HOW TO INSTALL WEBBING TO YOUR WINCH.

ATLANTIC PRODUCTS

Galvanised Cable

Hook included

- 7×9 steel core
- Galvanised wire rope
- Engineering-tested by NATA
- Available in 4 thicknesses



MARINE VESSEL SIZING GUIDE



SUITABLE FOR BOATS UP TO 22FT

2500kg RATED CAPACITY







CABLE LENGTH	6 METRES x 4MM	7.5 METRES x 5MM	7.5 METRES x 6MM
PRODUCT NAME		Galvanised Cable with Snap Hook	
PRODUCT CODE	6M4MMSNHK	75MX5MMSNHK	75MX6MMSNHK
HOOK TYPE	Snap Hook	Snap Hook	Snap Hook
BOAT SIZE	Up to 14ft	Up to 18ft	Up to 20ft
RATED CAPACITY	700kg	800kg	1000kg
QUANTITY	10 units per carton	10 units per carton	10 units per carton





CABLE LENGTH	6 METRES x 4MM	25 METRES x 10MM
PRODUCT NAME	Galvanised Cable with S Hook	Galvanised Cable with D-Shackle
PRODUCT CODE	6MX4MMSHK	25MX10MMDS
HOOK TYPE	S Hook	D-Shackle
BOAT SIZE	Up to 14ft	For Brake Winch
RATED CAPACITY	500kg	2500kg
QUANTITY	10 units per carton	1 unit per carton

For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

LEEA ASSOCIATE MEMBER

NATA

ENGINEERING TESTED

ATLANTIC PRODUCTS

Dyneema Rope

Hook included



- High-strength Dyneema Polyethylene
- Stronger than galvanised cable
- Engineering-tested by NATA
- Available in 5 thicknesses

MARINE VESSEL SIZING GUIDE



SUITABLE FOR BOATS UP TO 22FT

2500kg RATED CAPACITY





ROPE LENGTH	6 METRES x 4MM	7 METRES x 6MM	6 METRES x 5MM
PRODUCT NAME	Dyneema Rope with S Hook		Dyneema Rope with Snap Hook
PRODUCT CODE	AR6MMX4MMSHK	AR7MX6MMSHK	AR6MX5MMSNHK
HOOK TYPE	S Hook	S Hook	Snap Hook
BOAT SIZE	Up to 14ft	Up to 18ft	Up to 20ft
CAPACITY	500kg	800kg	700kg
QUANTITY	10 units per carton	10 units per carton	10 units per carton





ROPE LENGTH	7.5 METRES x 6MM	7.5 METRES x 7MM	10 METRES x 10MM
PRODUCT NAME		Dyneema Rope with Snap Hook	
PRODUCT CODE	AR75MX6MMSNHK	AR75MX7MMSNHK	AR10MX10MMSNHK
HOOK TYPE	Snap Hook	Snap Hook	Snap Hook
BOAT SIZE	Up to 20ft	Up to 22ft	Up to 25ft
CAPACITY	1000kg	1500kg	2500kg
QUANTITY	10 units per carton	10 units per carton	10 units per carton

ATLANTIC PRODUCTS

Atlantic Winch Handles



Removable

- Rust-resistant Dacromet finish
- Non-slip grip handle
- Removable handle for multi-speed Marine Winches
- Handle replacement for Cadet Electric Winches



PRODUCT CODE	HEXHANDLE	BW-HANDLE	CEW-HANDLE	CMW-HANDLE
SUITABLE FOR	Marine Boat Winches	Brake Winches	Cadet Electric Winches	Cadet Marine Winches
FINISH	Dacromet	Dacromet	Zinc-plated	Dacromet
QUANTITY	25/carton	10/carton	10/carton	10/carton





For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

Atlantic Winch Hooks

Dacromet Finish



- Suitable for all Winches
- Suitable for Webbing, Rope and Cable
- Stainless-Steel S-Hook
- Dacromet-coated Snap Hook





PRODUCT CODE	SNAPHOOK	SHOOK
PRODUCT NAME	Snap Hook	S Hook
FINISH	Dacromet	Stainless Steel





ATLANTIC
PRODUCTS



Tyres & Wheels

ATLANTIC PRODUCTS

Alloy Mag Wheels and Tyres

Predator



- Sleek, modern design
- Engineering and performance tested
- 13", 14" and 15" models available
- Rated capacity from 600kg to 1250kg

The Predator series is a Modern Boat Trailer Alloy Wheel, that is engineering and performance tested.

WHEEL SIZE	13 X 5.0	13 X 5.0	13 X 5.0	14 X 5.5
PRODUCT CODE	13X5ALLOYHT_155MF	13X5ALLOYHT_165MF	13X5ALLOYFD_165MF	14X55ALLOYHT_185MF
TYRE RATING	600kg	670kg	670kg	850kg
PATTERN TYPE	HT Holden	HT Holden	Ford	HT Holden
STUD PATTERN	5 x 4.25	5 x 4.25	5 x 4.50	5 x 4.25
TYRE SIZE	13" 155	13" 165	13" 165	14" 185
QUANTITY	1 unit per carton	1 unit per carton	1 unit per carton	1 unit per carton

WHEEL SIZE	14 x 5.5	14 x 5.5	14 x 5.5	15 x 6
PRODUCT CODE	14X55ALLOYFD_185MF	14X55ALLOYFD_195MF	14X55ALLOYFD_215MF	15X6ALLOYLC_235MF
TYRE RATING	850kg	950kg	1120kg	1250kg
PATTERN TYPE	Ford	Ford	Ford	Landcruiser
STUD PATTERN	5 x 4.50	5 x 4.50	5 x 4.50	6 x 139.70
TYRE SIZE	14" 185	14" 195	14" 215	15" 235
QUANTITY	1 unit per carton	1 unit per carton	1 unit per carton	1 unit per carton







ATLANTIC PRODUCTS

Alloy Mag Wheels and Tyres



X-Series Multi-Stud

- Multi-stud pattern
- Engineering and performance tested
- 13" and 14" models available
- Rated capacity from 670kg to 850kg

The Atlantic-X Series is a Modern Boat Trailer Alloy Wheel series, a first of its kind with a Multi-Stud pattern design.

WHEEL SIZE	13 x 5.0
PRODUCT CODE	13X5ALLOYMS165
PRODUCT NAME	13" X-Series Multi-Stud Alloy Wheel and Tyre Package
TYRE RATING	670kg
PATTERN TYPE	Multi-stud
STUD PATTERN	HT Holden 5 x 4.25 / Ford 5 x 4.50
TYRE SIZE	13" 165
QUANTITY	1 unit per carton

WHEEL SIZE	14 x 5.5
PRODUCT CODE	14X55ALLOYMS185
PRODUCT NAME	14" X-Series Multi-Stud Alloy Wheel and Tyre Package
TYRE RATING	850kg
PATTERN TYPE	Multi-stud
STUD PATTERN	HT Holden 5 x 4.25 / Ford 5 x 4.50
TYRE SIZE	14" 185
QUANTITY	1 unit per carton





Alloy Mag Wheels and Tyres

X-Series Single-Stud



- Single-stud pattern
- Engineering and performance tested
- 13" and 14" models available
- Rated capacity from 670kg to 850kg

The Atlantic-X Series is a Modern Boat Trailer Alloy Wheel series, a first of its kind with a Multi-Stud pattern design.

WHEEL SIZE	13 x 5.0	13 x 5.0
PRODUCT CODE	13X5ALLOYFD165SS	13X5ALLOYHT165SS
PRODUCT NAME	13" X-Series Single-Stud Alloy Wheel and Tyre Packages	
TYRE RATING	670kg	670kg
PATTERN TYPE	Ford	HT Holden
STUD PATTERN	5 x 4.50	5 x 4.25
TYRE SIZE	13" 165	13" 165
QUANTITY	1 unit per carton	1 unit per carton

WHEEL SIZE	14 x 5.5	14 x 5.5
PRODUCT CODE	14X55ALLOYFD185SS	14X55ALLOYHT185SS
PRODUCT NAME	14" X-Series Single-Stud Alloy Wheel and Tyre Packages	
TYRE RATING	850kg	850kg
PATTERN TYPE	Ford	HT Holden
STUD PATTERN	5 x 4.50	5 x 4.25
TYRE SIZE	14" 185	14" 185
QUANTITY	1 unit per carton	1 unit per carton





Alloy Mag Wheels and Tyres

Blackhawk



- Sleek, modern design
- Exclusive to Quintrex
- 13" and 14" models available
- Rated capacity from 670kg to 850kg

The Blackhawk Series is a Modern Boat Trailer Alloy Wheel, that is engineering and performance tested.

WHEEL SIZE	13 x 5.0	13 x 5.0
PRODUCT CODE	13X5ALLOYFD165BH	13X5ALLOYHT165BH
PRODUCT NAME	13" Blackhawk Alloy Wheel and Tyre Packages	
TYRE RATING	670kg	670kg
PATTERN TYPE	Ford	HT Holden
STUD PATTERN	5 x 4.50	5 x 4.25
TYRE SIZE	13" 165	13" 165
QUANTITY	1 unit per carton	1 unit per carton

WHEEL SIZE	14 x 5.5	14 x 5.5
PRODUCT CODE	14X55ALLOYFD185BH	14X55ALLOYHT185BH
PRODUCT NAME	14" Blackhawk Alloy Wheel and Tyre Packages	
TYRE RATING	850kg	850kg
PATTERN TYPE	Ford	HT Holden
STUD PATTERN	5 x 4.50	5 x 4.25
TYRE SIZE	14" 185	14" 185
QUANTITY	1 unit per carton	1 unit per carton





For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

Alloy Mag Wheels and Tyres

Ripper



- Sleek, modern design
- Available in 16" only
- Engineering and performance tested
- Rated up to 1450kg

The Ripper Series is a Modern Boat Trailer Alloy Wheel, that is engineering and performance tested.

WHEEL SIZE	16 x 7.5
PRODUCT CODE	16X75ALLOYLC_235MF
PRODUCT NAME	Ripper Alloy Wheel and Tyre Packages
TYRE RATING	1450kg
PATTERN TYPE	Landcruiser
STUD PATTERN	6 x 139.70
TYRE SIZE	16" 235
QUANTITY	1 unit per carton





ATLANTIC PRODUCTS

Alloy Mag Wheels and Tyres

T-Series



- Sleek, modern design
- Exclusive to Quintrex
- Engineering and performance tested
- Rated up to 850kg

The T-Series is a Modern Boat Trailer Alloy Wheel, that is engineering and performance tested available in HT Holden pattern type only.

WHEEL SIZE	13 x 5.0
PRODUCT CODE	13X5ALLOYHT165T
PATTERN TYPE	HT Holden
STUD PATTERN	5 x 4.25
TYRE SIZE	13" 165
TYRE RATING	670kg
QUANTITY	1 unit per carton



WHEEL SIZE	14 x 6.0
PRODUCT CODE	14X6ALLOY185HT
PATTERN TYPE	HT Holden
STUD PATTERN	5 x 4.25
TYRE SIZE	14" 185
TYRE RATING	850kg
QUANTITY	1 unit per carton



For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

ATLANTIC PRODUCTS

Galvanised Wheels and Tyres



Hot-Dip Galvanised

- 10", 13" and 14" models available
- Engineering and performance tested
- Rated capacity from 437kg to 850kg
- Corrosion resistant

Atlantic Galvanised Steel Wheel Rims are perfect for boat trailer application where corrosion resistant galvanised wheels are a necessity.

STEEL WHEEL SIZE	10 x 5.0	13 x 4.50	13 x 4.50
PRODUCT CODE	10X5TWPMS	13X155TWPMS	13X65TWPMS-437
TYRE RATING	437kg	600kg	437kg
PATTERN TYPE	Multi-stud	Multi-stud	Multi-stud
STUD PATTERN	5 x 4.25 / 5 x 4.50	5 x 4.25 / 5 x 4.50	5 x 4.25 / 5 x 4.50
TYRE SIZE	10" x 5	13" 155	13" 165
QUANTITY	1 unit per carton	1 unit per carton	1 unit per carton

STEEL WHEEL SIZE	13 x 4.50	13 x 4.50	13 x 4.50
PRODUCT CODE	13X165TWPMS	13X165TWPHT-670	13X175TWPMS
TYRE RATING	670kg	670kg	730kg
PATTERN TYPE	Multi-stud	Multi-stud	Multi-stud
STUD PATTERN	5 x 4.25 / 5 x 4.50	5 x 4.25	5 x 4.25 / 5 x 4.50
TYRE SIZE	13" 165	13" 165	13" 175
QUANTITY	1 unit per carton	1 unit per carton	1 unit per carton

STEEL WHEEL SIZE	14 x 5.5	14 x 5.5
PRODUCT CODE	14X185TWPMS	14X185TWPHT-850
TYRE RATING	850kg	850kg
PATTERN TYPE	Multi-stud	Multi-stud
STUD PATTERN	5 x 4.25 / 5 x 4.50	5 x 4.25
TYRE SIZE	14" 185	14" 185
QUANTITY	1 unit per carton	1 unit per carton



ATLANTIC PRODUCTS

Powdercoated Wheels and Tyres

White Finish



- CTA Accredited
- 13", 14", 15" & 16" models available
- Engineering and performance tested
- Rated capacity from 670kg to 1450kg

Designed with a 6mm inner disc for increased load support and longevity, our Powdercoated Wheel & Tyre Packages are ideal for box trailer applications, offering proven strength and durability.

STEEL WHEEL SIZE	13 x 4.50	13 x 4.50	13 x 4.50	14 x 5.50	14 x 5.50
PRODUCT CODE	13X165PWFD-670	13X165PWHT-670	13X165PWHQ-670	14X55PWFD-850	14X55PWHT-850
TYRE RATING	670kg	670kg	670kg	850kg	850kg
PATTERN TYPE	Ford	Holden HT	Holden HQ	Ford	Holden HT
STUD PATTERN / PCD	5 x 114.3	5 x 108	5 x 120.65	5 x 114.3	5 x 108
TYRE SIZE	13" 165	13" 165	13" 165	14" 185	14" 185
QUANTITY	1 unit/carton	1 unit/carton	1 unit/carton	1 unit/carton	1 unit/carton

STEEL WHEEL SIZE	14 x 5.50	14 x 5.50	15 x 6.0	15 x 6.0	15 x 6.0
PRODUCT CODE	14X55PWHQ-850	14X55PWLC-850	15X60PWFD-950	15X60PWHT-950	15X60PWHQ-950
TYRE RATING	850kg	850kg	950kg	950kg	950kg
PATTERN TYPE	Holden HQ	Landcruiser	Ford	Holden HT	Holden HQ
STUD PATTERN / PCD	5 x 120.65	6 x 139.70	5 x 114.3	5 x 108	5 x 120.65
TYRE SIZE	14" 185	14" 185	15" 195	15" 195	15" 195
QUANTITY	1 unit/carton	1 unit/carton	1 unit/carton	1 unit/carton	1 unit/carton

STEEL WHEEL SIZE	15 x 6.0	15 x 7.0	15 x 7.0	16 x 6.0	16 x 6.0
PRODUCT CODE	15X60PWLC-1150	15X70PWFD-1250	15X70PWLC-1250	16X60PWLC5-1450	16X60PWLC6-1450
TYRE RATING	1150kg	1250kg	1250kg	1450kg	1450kg
PATTERN TYPE	Landcruiser	Ford	Landcruiser	Landcruiser	Landcruiser
STUD PATTERN / PCD	6 x 139.70	5 x 114.3	6 x 139.70	6 x 139.70	5 x 150
TYRE SIZE	15" 195	15" 235	15" 235	16" 235	16" 235
QUANTITY	1 unit/carton	1 unit/carton	1 unit/carton	1 unit/carton	1 unit/carton





For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

ATLANTIC PRODUCTS

Powdercoated Wheels and Tyres

Black Finish



- CTA Accredited
- 13", 14", 15" & 16" models available
- Engineering and performance tested
- Rated capacity from 670kg to 1450kg

Designed with a 6mm inner disc for increased load support and longevity, our Powdercoated Wheel & Tyre Packages are ideal for box trailer applications, offering proven strength and durability.

STEEL WHEEL SIZE	13 x 4.50	13 x 4.50	13 x 4.50	14 x 5.50	14 x 5.50
PRODUCT CODE	13X165PBFD-670	13X165PBHT-670	13X165PBHQ-670	14X55PBFD-850	14X55PBHT-850
TYRE RATING	670kg	670kg	670kg	850kg	850kg
PATTERN TYPE	Ford	Holden HT	Holden HQ	Ford	Holden HT
STUD PATTERN / PCD	5 x 114.3	5 x 108	5 x 120.65	5 x 114.3	5 x 108
TYRE SIZE	13" 165	13" 165	13" 165	14" 185	14" 185
QUANTITY	1 unit/carton	1 unit/carton	1 unit/carton	1 unit/carton	1 unit/carton

STEEL WHEEL SIZE	14 x 5.50	14 x 5.50	15 x 6.0	15 x 6.0	15 x 6.0
PRODUCT CODE	14X55PBHQ-850	14X55PBLC-850	15X60PBFD-950	15X60PBHT-950	15X60PBHQ-950
TYRE RATING	850kg	850kg	950kg	950kg	950kg
PATTERN TYPE	Holden HQ	Landcruiser	Ford	Holden HT	Holden HQ
STUD PATTERN / PCD	5 x 120.65	6 x 139.70	5 x 114.3	5 x 108	5 x 120.65
TYRE SIZE	14" 185	14" 185	15" 195	15" 195	15" 195
QUANTITY	1 unit/carton	1 unit/carton	1 unit/carton	1 unit/carton	1 unit/carton

STEEL WHEEL SIZE	15 x 6.0	15 x 7.0	15 x 7.0	16 x 6.0
PRODUCT CODE	15X60PBLC-1150	15X70PBFD-1250	15X70PBLC-1250	16X60PBLC6-1450
TYRE RATING	1150kg	1250kg	1250kg	1450kg
PATTERN TYPE	Landcruiser	Ford	Landcruiser	Landcruiser
STUD PATTERN / PCD	6 x 139.70	5 x 114.3	6 x 139.70	6 x 139.70
TYRE SIZE	15" 195	15" 235	15" 235	16" 235
QUANTITY	1 unit/carton	1 unit/carton	1 unit/carton	1 unit/carton





ATLANTIC PRODUCTS

Stepped Alloy Wheel Lugs

Double Chrome-Plated



- Suit HT Holden 7/16" or Ford 1/2"
- Corrosion resistant
- Ideal for trailers and 4WDs
- Precision fit

Engineered for strength and precision, Atlantic Stepped Alloy Wheels Lugs deliver a secure fit.

PRODUCT CODE	HT-LUG	FD-LUG
PRODUCT NAME	Stepped Alloy Wheel Lugs for HT Holden	Stepped Alloy Wheel Lugs for Ford
THREAD	7/16"	1/2"
PATTERN TYPE	HT Holden	Ford
FINISH	Chrome-Plated	Chrome-Plated
QUANTITY	5 units per pack (300 units per carton ~ 60 packs)	5 units per pack (300 units per carton ~ 60 packs)





For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au


ATLANTIC
PRODUCTS



Spare Wheel Mounts

ATLANTIC PRODUCTS

Introducing our Spare Wheel Mounts Range



Galvanised Trailer Spare Wheel Mount


The Spare Wheel Mount is attached to your trailer via the side-frame, draw-bar or post using bolts and a backing plate.

- Suit 13-15" wheels
- Mounts via side-frame
- Galvanised bolts (or U Bolts)
- Includes lock and key

Aluminium Trailer Spare Wheel Mount

The Spare Wheel Mount is attached to the inside of the side frame c-section of your aluminium trailer.

- Suit 13-15" wheels
- Mounts inside C-section
- Galvanised bolts and nuts
- Includes lock and key



For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

LEEA ASSOCIATE MEMBER

NATM

ENGINEERING TESTED

ATLANTIC PRODUCTS

Small Spare Wheel Mount

Galvanised Boat Trailer




- 13-14" multi-stud pattern
- Dacromet anti-corrosion coating
- Includes anti-theft locking bracket
- Suits Ford and HT Holden stud patterns

Finished in a long lasting Dacromet anti-corrosion coating, suitable for Galvanised Trailers. Atlantic's universal spare wheel mount design comes in two sizes and allows a wide variety of wheels to be mounted.


PRODUCT CODE	SWMSM
PRODUCT NAME	Small Spare Wheel Mount for Galvanised Trailer
TYRE SIZE	13" and 14"
PATTERN	Multi-stud pattern suit Ford and HT Holden
FINISH	Dacromet
QUANTITY	8 units per carton








FRONT SPECIFICATIONS



SIDE SPECIFICATIONS



TOP SPECIFICATIONS

ATLANTIC PRODUCTS

Large Spare Wheel Mount

Galvanised Boat Trailer




- 13-15" multi-stud pattern
- Dacromet anti-corrosion coating
- Includes anti-theft locking bracket
- Suits Ford, HT Holden and Landcruiser stud patterns

Finished in a long lasting Dacromet anti-corrosion coating, suitable for Galvanised Trailers. Atlantic's universal spare wheel mount design comes in two sizes and allows a wide variety of wheels to be mounted.


PRODUCT CODE	SWMLG
PRODUCT NAME	Large Spare Wheel Mount for Galvanised Trailer
WHEEL SIZE	13", 14" and 15"
PATTERN	Multi-stud pattern suit Ford, HT Holden and Landcruiser
FINISH	Dacromet
QUANTITY	4 units per carton








FRONT SPECIFICATIONS



SIDE SPECIFICATIONS



TOP SPECIFICATIONS

For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

LEEA ASSOCIATE MEMBER

NATM

ENGINEERING TESTED

ATLANTIC PRODUCTS

Large Spare Wheel Mount

Aluminium Boat Trailer




- 13-15" multi-stud pattern
- Mounts inside I-Beam
- Includes anti-theft locking bracket
- Suits Ford, HT Holden and Landcruiser stud patterns

Composed of axle-grade steel, suitable for Aluminium I-Beam Trailers. Atlantic's universal spare wheel mount design comes in two sizes and allows a wide variety of wheels to be mounted. Also includes an anti-theft locking bracket.


PRODUCT CODE	AWSWMLG
PRODUCT NAME	Large Spare Wheel Mount for Aluminium I-Beam Trailer
WHEEL SIZE	13", 14" and 15"
PATTERN	Multi-stud pattern suit Ford, HT Holden and Landcruiser
FINISH	Dacromet
QUANTITY	4 units per carton








FRONT SPECIFICATIONS



SIDE SPECIFICATIONS



TOP SPECIFICATIONS

For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

LEEA ASSOCIATE MEMBER
NATM
ENGINEERING TESTED

ATLANTIC PRODUCTS

Small Spare Wheel Mount

Aluminium Boat Trailer




- 13-14" multi-stud pattern
- Mounts inside I-Beam
- Includes anti-theft locking bracket
- Suits Ford and HT Holden stud patterns

Composed of axle-grade steel, suitable for Aluminium I-Beam Trailers. Atlantic's universal spare wheel mount design comes in two sizes and allows a wide variety of wheels to be mounted. Also includes an anti-theft locking bracket.


PRODUCT CODE	AWSWMSM
PRODUCT NAME	Small Spare Wheel Mount for Aluminium I-Beam Trailer
WHEEL SIZE	13" and 14"
PATTERN	Multi-stud pattern suit Ford and HT Holden
FINISH	Dacromet
QUANTITY	4 units per carton








FRONT SPECIFICATIONS



SIDE SPECIFICATIONS



TOP SPECIFICATIONS

ATLANTIC PRODUCTS

Small Spare Wheel Mount

Box Trailer




- Hot-Dip Galvanised
- Includes anti-theft locking bracket
- Suits Ford and HT Holden stud patterns

Finished in a long lasting Dacromet anti-corrosion coating, suitable for Box Trailers, this Spare Wheel Mount replaces the jockey wheel. Available in two sizes and allows a wide variety of wheels to be mounted.


PRODUCT CODE	SWMSM-8MM
PRODUCT NAME	Small Spare Wheel Mount for Box Trailer
WHEEL SIZE	13" and 14"
PATTERN	Multi-stud pattern suit Ford and HT Holden
FINISH	Galvanised
QUANTITY	4 units per carton








FRONT SPECIFICATIONS



SIDE SPECIFICATIONS



TOP SPECIFICATIONS

ATLANTIC PRODUCTS

Large Spare Wheel Mount

Box Trailer




- Hot-Dip Galvanised
- Includes anti-theft locking bracket
- Suits Ford and Landcruiser stud patterns


Finished in a long lasting Dacromet anti-corrosion coating, suitable for Box Trailers, this Spare Wheel Mount replaces the jockey wheel. Available in two sizes and allows a wide variety of wheels to be mounted.

PRODUCT CODE	SWMLG-LCPAP
PRODUCT NAME	Large Spare Wheel Mount for Box Trailer
WHEEL SIZE	13", 14" and 15"
PATTERN	Multi-stud pattern suit Ford and Landcruiser
FINISH	Galvanised
QUANTITY	8 units per carton






FRONT SPECIFICATIONS



SIDE SPECIFICATIONS



BOLT-DOWN SPECIFICATIONS

For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au


LEEA ASSOCIATE MEMBER

NATM

ENGINEERING TESTED

ATLANTIC PRODUCTS

Beach Launcher Wheel Mount



1 Mount ~ 3 Functions

- Purpose-built for beach launching
- Pre-greased emergency hub
- U-bolts included for easy installation

The Atlantic 3-in-1 Beach Launcher Spare Wheel Mount launches in seconds on any terrain, while also acting as a spare wheel carrier and emergency hub. With an ergonomic handle and grease nipples for durability, it's a compact, high-value solution built for ease and reliability.



PRODUCT CODE	DDM40-HT	DDM40-FD	DDM45-FD	DDM45-LC
PRODUCT NAME	3-in-1 Beach Launcher Spare Wheel Mount for Galvanised Trailer			
PATTERN TYPE	HT Holden	Ford	Ford	Landcruiser
PITCH CIRCLE DIAMETER	Ø107.95	Ø114.30	Ø114.30	Ø139.70
AXLE TYPE	39 / 40mm Axle	39 / 40mm Axle	45mm Square Axle	45mm Square Axle
NUMBER OF STUDS	5	5	5	6
QUANTITY	1 unit per carton	1 unit per carton	1 unit per carton	1 unit per carton







1 WHEEL MOUNT POSITION WHEN STOWED → 2 PIN PULLED, WHEEL DOWN, DEPLOYED IN SECONDS! → 3 BEACH LAUNCH READY!

ATLANTIC PRODUCTS

Spare Wheel Carrier U-Bolt


With Mount



- Mount your spare wheel
- Nyloc nuts included
- Suit Ford stud pattern
- Suit HT Holden stud pattern

Introducing Atlantic's Spare Wheel Carrier U-Bolt, a budget friendly option for mounting your spare wheel, suiting both Ford and HT-Holden Stud Patterns.

PRODUCT CODE	ATL1525
PRODUCT NAME	Spare Wheel Carrier U-Bolt
STUD PATTERN	Ford and HT Holden
QUANTITY	20 units per carton





For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

ATLANTIC
PRODUCTS




Boat Trailer Rollers

ATLANTIC PRODUCTS

Boat Trailer Roller Range

Jet-ski Trailer

Designed for jet-ski's, this setup offers sort, flexible support for easy loading and hull protection.




Bow Roller
Supports and aligns the bow of the jet-ski at the winch post

Soft Poly Keel Rollers
Supports the hull at the centre of the trailer

Wobble Rollers
Mounted on roller racks to provide side support

Fibreglass Boat Trailer

Fibreglass hulls require soft, shock-absorbing material to prevent damage and confirm to the hull shape.




Bow Roller
Supports and aligns the bow of the aluminium boat at the winch post

Soft Poly Keel Rollers
Placed in the centre to cradle the fibreglass hull

Wobble Rollers
Mounted via pivot bars and roller brackets to provide hull support

Aluminium Boat Trailer

Built for strength, this setup suits heavier aluminium boats and supports retrieval stability.



Bow Roller
Supports and aligns the bow of the aluminium boat at the winch post

Skid Strips + Trailer Blocks
Installed at the rear of the trailer for support and smoother retrieval


Hard Poly Keel Rollers
Provides strong support for the aluminium hull

For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

LEEA ASSOCIATE MEMBER
NATM
ENGINEERING TESTED

ATLANTIC PRODUCTS

Boat Trailer Soft Wobble Rollers



Soft Polyurethane

- For Jet-ski or Tinny Boats
- Exceptional UV durability
- Used by OEM Trailer Manufacturers

Take care of your Jet-ski or Tinny Boat with our soft, yet durable wobble rollers. Manufactured by Atlantic and used on trailers by many OEM's, these UV Stabilised polyurethane wobble rollers are perfect replacement for your worn wobble rollers.



PRODUCT COLOUR	BLUE + BLACK	GREY + BLACK	BLACK	BLACK
PRODUCT CODE	WR3BLUE	WR3GREY	WR3BLACK	WR3BLACK-R
LENGTH	4"	4"	4"	4"
WIDTH	3"	3"	3"	3"
BORE DIAMETER	22mm	22mm	22mm	22mm
MATERIAL	Soft Poly	Soft Poly	Soft Poly	Soft Poly
FINISH	Smooth	Ribbed	Smooth	Ribbed
CARTON QUANTITY	24 units per carton	24 units per carton	24 units per carton	24 units per carton
MOQ	6	6	6	6



PRODUCT COLOUR	BLUE + BLACK	BLUE + BLACK
PRODUCT CODE	WR4BLUE-R	WR4DBLUE-R
LENGTH	5"	5"
WIDTH	3"	3"
BORE DIAMETER	22mm	22mm
MATERIAL	Soft Poly	Soft Poly
FINISH	Ribbed	Ribbed
CARTON QUANTITY	24 units per carton	16 units per carton
MOQ	6	6



ATLANTIC PRODUCTS

Boat Trailer Cotton Reel Keel Rollers



Soft Polyurethane

- For Flat Hull Fibreglass Boats
- Plastic insert prevents excessive wear
- Available in 3 lengths

Crafted from durable soft-polyurethane, our Soft Keel Rollers are specifically designed to accommodate the flat hull design of fibreglass boats. Featuring a plastic insert to prevent excessive wear from contact with the spindle during boat retrieval, these rollers provide maximum keel support and protection during boat trailer transportation, ensuring a safe and efficient boating experience.



LENGTH	4.5"	6"	8"
PRODUCT NAME	Red Soft Poly Cotton Reel Keel Roller with Spindle Insert		
PRODUCT CODE	RSPKR45	RSPKR60	RSPKR80
BORE DIAMETER	17mm	17mm	17mm
MATERIAL	Soft Poly	Soft Poly	Soft Poly
COLOUR	Red	Red	Red
CARTON QUANTITY	40 units/carton	40 units/carton	40 units/carton
MOQ	4	4	4





LENGTH	4.5"	6"	8"
PRODUCT NAME	Grey Soft Poly Cotton Reel Keel Roller with Spindle Insert		
PRODUCT CODE	GSPKR45	GSPKR60	GSPKR80
BORE DIAMETER	17mm	17mm	17mm
MATERIAL	Soft Poly	Soft Poly	Soft Poly
COLOUR	Grey	Grey	Red
CARTON QUANTITY	40 units/carton	40 units/carton	40 units/carton
MOQ	4	4	4



For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

LEEA ASSOCIATE MEMBER

NATM

ENGINEERING TESTED

Boat Trailer Sydney Keel Rollers



Soft Polyurethane

- For V-Shaped Fibreglass Boats
- Innovative design helps guide your boat
- Available in 2 lengths


Our Soft Sydney Keel Rollers serve as an excellent alternative to self-centering or standard keel rollers. Their innovative design guides your boat smoothly towards the centre of the trailer, ensuring effortless retrieval. Featuring a plastic insert to prevent excessive wear from contact with the spindle during boat retrieval, these rollers provide maximum keel support and protection during boat trailer transportation, ensuring a safe and efficient boating experience.





LENGTH	6"	8"
PRODUCT NAME	Red Soft Poly Sydney Keel Roller	
PRODUCT CODE	RSPSKR60	RSPSKR80
BORE DIAMETER	17mm	17mm
MATERIAL	Soft Poly	Soft Poly
COLOUR	Red	Red
CARTON QUANTITY	25 units per carton	25 units per carton
MOQ	5	5





LENGTH	6"	8"
PRODUCT NAME	Blue Soft Poly Sydney Keel Roller	
PRODUCT CODE	BSPSKR60	BSPSKR80
BORE DIAMETER	17mm	17mm
MATERIAL	Soft Poly	Soft Poly
COLOUR	Blue	Blue
CARTON QUANTITY	25 units per carton	25 units per carton
MOQ	5	5

Boat Trailer Keel Rollers

Hard Polyurethane



- For Aluminium Boats
- Exceptional UV durability
- Available in 3 lengths

Our Hard Keel Rollers are constructed from high-density polyurethane, offering exceptional UV stabilisation, durability, and impact resistance while minimising abrasion. The Sydney Keel Rollers serve as an excellent alternative to self-centering or standard keel rollers. Their innovative design guides your boat smoothly towards the centre of the trailer, ensuring effortless retrieval.



LENGTH	4.5"
PRODUCT NAME	Blue Hard Keel Roller
PRODUCT CODE	BHKR45
BORE DIAMETER	17mm
MATERIAL	Hard Poly
COLOUR	Blue
CARTON QUANTITY	40 units per carton
MOQ	10





LENGTH	6"	8"
PRODUCT NAME	Blue Hard Sydney Keel Roller	
PRODUCT CODE	BHSKR60	BHSKR80
BORE DIAMETER	17mm	17mm
MATERIAL	Hard Poly	Hard Poly
COLOUR	Blue	Blue
CARTON QUANTITY	14 units per carton	20 units per carton
MOQ	7	5



Boat Trailer Keel Rollers

Black Rubber



- For Aluminium or Fibreglass Boats
- Impact-resistant rubber material
- Available in 3 lengths

Our Rubber Keel Rollers, suitable for either aluminium or fibreglass boats, are made from durable, impact-resistant rubber, ensuring long-lasting performance and protection. The Sydney Keel rollers serve as an excellent alternative to self-centering or standard keel rollers. Their unique design effortlessly guides your boat towards the centre of the trailer, making retrieval smooth and easy.



LENGTH	4.5"
PRODUCT NAME	Black Rubber Keel Roller
PRODUCT CODE	BRKR45
BORE DIAMETER	17mm
MATERIAL	Rubber
COLOUR	Black
CARTON QUANTITY	40 units per carton
MOQ	10





LENGTH	6"	8"
PRODUCT NAME	Black Rubber Sydney Keel Roller	
PRODUCT CODE	BRKSR60	BRKSR80
BORE DIAMETER	17mm	17mm
MATERIAL	Rubber	Rubber
COLOUR	Black	Black
CARTON QUANTITY	20 units per carton	20 units per carton
MOQ	7	5



ATLANTIC PRODUCTS

Boat Trailer Self-Centering Rollers

Hard Polyurethane



- For Aluminium Boats
- Innovative design helps guide your boat
- Available in 2 lengths

Our Self-Centering Rollers, designed specifically for aluminium boats, are constructed from high-density polyurethane, offering excellent UV stabilisation, durability, and impact resistance while minimising abrasion. The innovative grooved design guides your boat smoothly towards the centre of the trailer, ensuring effortless retrieval and alignment.





LENGTH	6"	8"
PRODUCT NAME	Self-Centering Roller	
PRODUCT CODE	BHCR60	BHCR80
BORE DIAMETER	17mm	17mm
MATERIAL	Hard Poly	Hard Poly
COLOUR	Blue	Blue
CARTON QUANTITY	14 units per carton	20 units per carton
MOQ	7	5





For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

Boat Trailer Bow Rollers

Soft Polyurethane



- For Aluminium Boats
- Mount to winch post
- End Caps and Bolt included

Our Bow Rollers are designed to facilitate smooth and secure loading on to boat trailers, replacing the old V-blocks which only allowed minimum tolerance. These bow rollers are constructed from high-density polyurethane, offering exceptional UV stabilisation, durability, and impact resistance while minimising abrasion.





LENGTH	3"	4"
PRODUCT NAME	Bow Roller	
PRODUCT CODE	BOWR3	BOWR4
MATERIAL	Soft Poly	Soft Poly
COLOUR	Black	Black
CARTON QUANTITY	20 units per carton	20 units per carton
MOQ	4	4









LENGTH	3"	4"	4"
PRODUCT NAME	V-Shaped Bow Roller		
PRODUCT CODE	BOWR3-V	BOWR4-V	BOWR4-Y-V
MATERIAL	Soft Poly	Soft Poly	Soft Poly
COLOUR	Black	Black	Yellow
CARTON QUANTITY	20 units per carton	16 units per carton	16 units per carton
MOQ	4	4	4



ATLANTIC
PRODUCTS



Boat Trailer Brackets

Boat Trailer Bracket Range

Wobble Roller Brackets

Mounted to trailer via 33mm Heavy-Duty Wood Yoke Bracket or Pivot Bars.
- Bracket with Bolts
- Bracket with Solid Pin
- Bracket with Mounting Bracket





Bolt on Bracket

Secures solid stem brackets to trailer frame. Can be bolted or welded.




Heavy-Duty Wood Yoke Brackets

Secures trailer blocks and wobble roller brackets using hollow 40×40mm square tube for heavy duty applications.
- 33mm head: suits wobble roller bracket
- 45mm head: suits small trailer blocks or pre bend trailer block
- 54mm head: suits trailer block, alloy skid or pivot bar

Standard Wood Yoke Brackets

Secures trailer blocks using solid 20×20mm stem for general applications.
- 33mm head: suits wobble roller bracket
- 45mm head: suits small trailer blocks or pre-bend trailer block
- 54mm head: suits trailer block or alloy skid





Eye Post Brackets

Acts like a double stem keel roller bracket, however eliminating the need for a washer and split pin.
- 175×165mm bracket with spindle attached: suits 4.5" keel rollers
- 270×165mm bracket with spindle attached: suits 8" keel rollers

Keel Roller Brackets

Secures keel rollers in conjunction with washers and split pins.
- Single Stem: Mounted close to the front of the trailer.
- Double Stem: Mounted throughout the centre of trailer.
- No Stem: Mounted throughout the centre of the trailer via U-Bolts
- Double Keel Roller Bracket: Mounted at the centre of the trailer



Standard Adjustable Brackets

Allows adjustable mounting of bracket with solid 20×20mm stems.





Heavy-Duty Adjustable Brackets

Allows adjustable mounting of brackets with hollow 40×40mm square tube.

ATLANTIC PRODUCTS

Boat Trailer Roller Brackets



Hot-Dip Galvanised

- Pair with a Roller and Spindle
- Maximum corrosion-resistance
- Available in 3 lengths

Our range of Boat Trailer Roller Brackets are designed to complete a boat roller assembly when paired with a roller and spindle. Enhance your boat trailer's performance and longevity with these robust and reliable keel roller brackets. Our Double Keel Roller Brackets are engineered to provide enhanced central hull support during launch and retrieval. Designed to house two keel rollers, they offer increased stability and alignment, especially for larger or heavier boats.



LENGTH	4.5"	6"	8"
PRODUCT NAME	No Stem Roller Brackets		
PRODUCT CODE	KRBNS45	KRBNS60	KRBNS80
CARTON QUANTITY	25 units per carton	25 units per carton	20 units per carton
MOQ	5	5	5





LENGTH	4.5"	6"	8"
PRODUCT NAME	Single Stem Keel Roller Brackets		
PRODUCT CODE	SSKRB45	SSKRB60	SSKRB80
CARTON QUANTITY	10 units per carton	10 units per carton	10 units per carton
MOQ	5	5	5





LENGTH	6"	8"	6"
PRODUCT NAME	Double Stem Roller Brackets		Double Keel Roller Bracket
PRODUCT CODE	DSKRB60	DSKRB80	DNSB
CARTON QUANTITY	10 units per carton	10 units per carton	6 units per carton
MOQ	5	5	2



For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

LEEA ASSOCIATE MEMBER

NATM

ENGINEERING TESTED

ATLANTIC PRODUCTS

Boat Trailer Bolt-on Brackets



Hot-Dip Galvanised

- Option to weld or bolt-on
- Maximum corrosion-resistance
- Includes 8.8 Grade Dome Head Bolt
- Retail and OEM packaging available

Our Bolt on Bracket is designed to complete a boat roller assembly when paired with a roller, spindle and roller bracket. These brackets are engineered for strength and durability, yet can be both welded and bolted on. They feature a Hot-Dip Galvanised coating, providing maximum corrosion resistance for both freshwater and salt-water environments.



AVAILABLE IN RETAIL PACK



PRODUCT CODE	BOB
PRODUCT NAME	Bolt on Bracket for Single Stem upright
FINISH	Hot-Dip Galvanised
CARTON QUANTITY	25 units per carton
MOQ	5





ATLANTIC PRODUCTS

Boat Trailer Wood Yoke Brackets



Solid Stem

- Maximum corrosion resistance
- Includes 8.8 Grade Bolt
- Available in 45mm or 54mm U-Head

Our Solid Stem Wood Yoke Brackets are designed for the standard applications in mounting Boat Trailer Blocks, Wobble Roller Brackets and Pivot Bars. They feature a hot-dip galvanised coating, providing maximum corrosion resistance for both freshwater and saltwater environments.





BRACKET SIZE	45mm	45mm
PRODUCT CODE	WY8-45MM	WY12-45MM
LENGTH	8"	12"
SQUARE STEM	20×20	20×20
FINISH	Hot-Dip Galvanised	Hot-Dip Galvanised
CARTON QUANTITY	18 units per carton	18 units per carton
MOQ	3	5



BRACKET SIZE	54mm
PRODUCT CODE	WY8-54MM
LENGTH	8"
SQUARE STEM	20×20
FINISH	Hot-Dip Galvanised
CARTON QUANTITY	15 units per carton
MOQ	3



SOLID STEM WOOD YOKE BRACKET

For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

LEEA ASSOCIATE MEMBER

NATM

ENGINEERING TESTED

ATLANTIC PRODUCTS

Boat Trailer Wood Yoke Brackets

Square Tube Stem



- Maximum corrosion resistance
- Includes 8.8 Grade Bolt
- Available in 33mm, 45mm or 54mm U-Head

Our Square Tube Stem Wood Yoke Brackets are designed for the heavy duty applications in mounting Boat Trailer Blocks, Wobble Roller Brackets and Pivot Bars. They feature a hot-dip galvanised coating, providing maximum corrosion resistance for both freshwater and saltwater environments.





BRACKET SIZE	33mm	45mm
PRODUCT CODE	WY40ST-33MM	WY40ST-45MM
SUITS	Wobble Roller Bracket	Small Trailer Block
LENGTH	200mm	270mm
SQUARE TUBE	40×40×3	40×40×3
FINISH	Hot-Dip Galvanised	Hot-Dip Galvanised
CARTON QUANTITY	15 units per carton	15 units per carton
MOQ	3	3





BRACKET SIZE	54mm	54mm
PRODUCT CODE	WY40ST-54MM	WY12-40ST-54MM
SUITS	Pivot Bar or Trailer Blocks	Pivot Bar or Trailer Blocks
LENGTH	270mm	300mm
SQUARE TUBE	40×40×3	40×40×3
FINISH	Hot-Dip Galvanised	Hot-Dip Galvanised
CARTON QUANTITY	15 units per carton	10 units per carton
MOQ	3	3



SQUARE TUBE STEM WOOD YOKE BRACKET

ATLANTIC PRODUCTS

Angled Wood Yoke Brackets

Hot-Dip Galvanised



- Maximum corrosion-resistance
- Includes 8.8 Grade Bolt
- Available for 45mm and 54mm bracket opening

Our Wood Yoke Brackets are designed to hold Boat Trailer Blocks and Pivot Bars. These brackets are engineered for strength and durability. They feature a Hot-Dip Galvanised coating, providing maximum corrosion resistance for both freshwater and salt-water environments.



BRACKET SIZE	54mm
PRODUCT CODE	AWY-54MM
SQUARE STEM	20×20
FINISH	Hot-Dip Galvanised
CARTON QUANTITY	20 units per carton
MOQ	2



STANDARD ANGLED WOOD YOKE BRACKET





BRACKET SIZE	45mm	54mm
PRODUCT CODE	AWY40ST-45MM	AWY40ST-54MM
SUITS	Smaller Trailer Blocks	Steel Tube with Skids
LENGTH	280mm	280mm
SQUARE TUBE	40×40×3	40×40×3
FINISH	Hot-Dip Galvanised	Hot-Dip Galvanised
CARTON QUANTITY	15 units per carton	15 units per carton
MOQ	3	3



HEAVY-DUTY ANGLED WOOD YOKE BRACKET

For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

LEEA ASSOCIATE MEMBER · NATM · ENGINEERING TESTED

ATLANTIC PRODUCTS

Boat Trailer Eye Post Brackets



Hot-Dip Galvanised


- Pair with a Roller and Spindle
- Maximum corrosion-resistance
- No Washer and Split Pin needed

Our Eye Post Brackets are designed to complete a boat roller assembly when paired with a roller and spindle. These brackets are engineered for strength and durability. They feature a Hot-Dip Galvanised coating, providing maximum corrosion resistance for both freshwater and salt-water environments.



BRACKET SIZE	175mm x 165mm	270mm x 165mm
PRODUCT NAME	Eye Post Bracket with Square Stem and Round Bar	
PRODUCT CODE	EPAB175X165	EPAB270X165
SQUARE STEM WIDTH	20mm	20mm
ROUND BAR DIAMETER	16mm	16mm
FINISH	Hot-Dip Galvanised	Hot-Dip Galvanised
CARTON QUANTITY	25 units per carton	20 units per carton
MOQ	5	5





BRACKET SIZE	18mm x 165mm
PRODUCT NAME	Eye Post Bracket with Square Stem
PRODUCT CODE	EPB18X165
SQUARE STEM WIDTH	20mm
FINISH	Hot-Dip Galvanised
CARTON QUANTITY	40 units per carton
MOQ	5



ATLANTIC PRODUCTS

Boat Trailer Adjustable Stem Brackets



Solid Stem

- Includes 8.8 Grade Bolt
- Maximum corrosion-resistance
- Dome Head Bolt for maximum tension

Our Solid Stem Adjustable Stem Bracket is designed to complete a boat roller assembly when paired with a roller bracket, roller and spindle. These brackets are engineered for strength and durability, providing a range of adjustability for the mounting of brackets and rollers. They feature a hot-dip galvanised coating, providing maximum corrosion resistance for both freshwater and saltwater environments.












BRACKET SIZE	50mm x 25mm	50mm x 50mm	75mm x 50mm	75mm x 75mm
PRODUCT CODE	ASB50X25	ASB50X50	ASB75X50	ASB75X75
FINISH	Hot-Dip Galvanised	Hot-Dip Galvanised	Hot-Dip Galvanised	Hot-Dip Galvanised
CARTON QUANTITY	25 units per carton	20 units per carton	20 units per carton	20 units per carton
MOQ	5	5	4	4




SPECIFICATIONS (ASB50X25)



SPECIFICATIONS (ASB50X50)



SPECIFICATIONS (ASB75X50)



SPECIFICATIONS (ASB75X75)

For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

LEEA ASSOCIATE MEMBER

NATM

ENGINEERING TESTED

Boat Trailer Adjustable Stem Brackets

Standard Square Tube



- Includes 8.8 Grade Bolt
- Maximum corrosion-resistance
- Two Dome Head Bolts for maximum tension


Our Standard Square Tube Adjustable Stem Bracket is designed to complete a boat roller assembly when paired with a roller bracket, roller and spindle. These brackets are engineered for strength and durability, providing a range of adjustability for the mounting of brackets and rollers. They feature a hot-dip galvanised coating, providing maximum corrosion resistance for both freshwater and saltwater environments.









BRACKET SIZE	50mm x 50mm	75mm x 50mm	75mm x 75mm
PRODUCT CODE	ASB50X50ST	ASB75X50ST	ASB75X75ST
FINISH	Hot-Dip Galvanised	Hot-Dip Galvanised	Hot-Dip Galvanised
CARTON QUANTITY	16 units per carton	16 units per carton	16 units per carton
MOQ	4	4	4



SPECIFICATIONS (ASB50X50ST)



SPECIFICATIONS (ASB75X50ST)



SPECIFICATIONS (ASB75X75ST)

ATLANTIC PRODUCTS

Boat Trailer Adjustable Stem Brackets

Heavy-Duty Square Tube



- Includes 8.8 Grade Bolt
- Maximum corrosion-resistance
- Heavy-duty double U-head design
- Two Dome Head Bolts for maximum tension


Our Heavy-Duty Square Tube Adjustable Stem Bracket is designed to complete a boat roller assembly when paired with a roller bracket, roller and spindle. These brackets are engineered for strength and durability, providing a range of adjustability for the mounting of brackets and rollers. They feature a hot-dip galvanised coating, providing maximum corrosion resistance for both freshwater and saltwater environments.









BRACKET SIZE	50mm x 50mm	75mm x 50mm	75mm x 75mm
PRODUCT CODE	ASBST-50X50HD	ASBST-75X50HD	ASBST-75X75HD
FINISH	Hot-Dip Galvanised	Hot-Dip Galvanised	Hot-Dip Galvanised
CARTON QUANTITY	8 units per carton	8 units per carton	8 units per carton
MOQ	2	2	2



SPECIFICATIONS (ASBST-50X50HD)



SPECIFICATIONS (ASBST-75X50HD)



SPECIFICATIONS (ASBST-75X75HD)

For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

LEEA ASSOCIATE MEMBER


NATM

ENGINEERING TESTED

ATLANTIC PRODUCTS

Boat Trailer Wobble Roller Brackets

Hot-Dip Galvanised



- Ensures hull support for all types of boats
- Maximum corrosion-resistance
- Choose from 6 types of roller brackets


Our range of Wobble Roller Brackets are built to support and stabilise your boat during loading, unloading, and transport. Designed to be used with wobble rollers, washers and split pins, they ensure even hull support across a range of boat sizes. Each bracket is Hot-Dip Galvanised for superior corrosion resistance in both freshwater and salt-water environments.









PRODUCT CODE	WRB-SP	WRB	PB600MM
PRODUCT NAME	Wobble Roller Bracket (Solid Pin)	Wobble Roller Bracket (with Bolts)	Wobble Roller Bracket (Pivot Bar)
BAR/TUBE THICKNESS	19mm	19mm	50×50mm
BRACKET LENGTH	346mm	422mm	600mm
FINISH	Hot-Dip Galvanised	Hot-Dip Galvanised	Hot-Dip Galvanised
CARTON QUANTITY	10 units per carton	10 units per carton	10 units per carton
MOQ	2	2	2



SPECIFICATIONS (WRB-SP)



SPECIFICATIONS (PB600MM)



SPECIFICATIONS (WRB)




WRB + PB600MM + WR4BLUE-R



WRB-SP + PB600MM + WR3GREY

ATLANTIC PRODUCTS


Boat Trailer Wobble Roller Brackets



Hot-Dip Galvanised

- Maximum corrosion-resistance
- Ensures hull support for all types of boats
- Pre-assembled Wobble Roller Bracket Kits

Our range of Wobble Roller Brackets are built to support and stabilise your boat during loading, unloading, and transport. Designed to be used with wobble rollers, washers and split pins, they ensure even hull support across a range of boat sizes. Each bracket is Hot-Dip Galvanised for superior corrosion resistance in both freshwater and salt-water environments.





PRODUCT CODE	WRB-TD	WRB-TD22
PRODUCT NAME	Wobble Roller Bracket (with Mounting Bracket)	Wobble Roller Bracket (with Mounting Bracket)
BAR THICKNESS	19mm	22mm
U-BRACKET SIZE	40mm	40mm
FINISH	Hot-Dip Galvanised	Hot-Dip Galvanised
CARTON QUANTITY	20 units per carton	15 units per carton
MOQ	4	5






PRODUCT CODE	WRB-SBK	WRB-QSBK
PRODUCT NAME	Wobble Roller Bracket (with Solid Stem)	Quad Wobble Roller Bracket (with Solid Stem)
BAR THICKNESS	19mm	19mm
BRACKET SIZE	20mm Solid Bar	20mm Solid Bar
FINISH	Hot-Dip Galvanised	Hot-Dip Galvanised
CARTON QUANTITY	10 units per carton	6 units per carton
MOQ	N/A	N/A

PRE-ASSEMBLED KITS AVAILABLE

Pre-assembled Wobble Roller Bracket Kits are available with the wobble roller of your choice. Minimum quantities apply.




For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

LEEA ASSOCIATE MEMBER

NATM

ENGINEERING TESTED

Boat Trailer Wobble Roller Bracket Kits



Pre-Assembled

- Installation-ready
- No assembly required
- Complete Wobble Roller Kit

Designed for convenience, the Atlantic Wobble Roller Bracket Kits comes fully assembled with wobble rollers, wobble roller bracket, stainless split pins and 38mm washers fitted.







PRODUCT CODE	WRDA-3GREY	WRDA-3BLACK	WRDA-3BLUE
WOBBLE ROLLER BRACKET	Wobble Roller Bracket (with Mounting Bracket)	Wobble Roller Bracket (with Mounting Bracket)	Wobble Roller Bracket (with Mounting Bracket)
WOBBLE ROLLERS	2 x Grey Wobble Rollers	2 x Black Wobble Rollers	2 x Blue Wobble Rollers
WASHERS	2 x 38mm Round Washers	2 x 38mm Round Washers	2 x 38mm Round Washers
SPLIT PIN	2 x Stainless Steel Split Pins	2 x Stainless Steel Split Pins	2 x Stainless Steel Split Pins
CARTON QUANTITY	10 units per carton	10 units per carton	10 units per carton







PRODUCT CODE	WRBA-3GREY	WRBA-3BLACK	WRBA-3BLUE
WOBBLE ROLLER BRACKET	Wobble Roller Bracket (Solid Pin)	Wobble Roller Bracket (Solid Pin)	Wobble Roller Bracket (Solid Pin)
WOBBLE ROLLERS	2 x Grey Wobble Rollers	2 x Black Wobble Rollers	2 x Blue Wobble Rollers
WASHERS	2 x 38mm Round Washers	2 x 38mm Round Washers	2 x 38mm Round Washers
SPLIT PIN	2 x Stainless Steel Split Pins	2 x Stainless Steel Split Pins	2 x Stainless Steel Split Pins
CARTON QUANTITY	10 units per carton	10 units per carton	10 units per carton


Roller Spindles

Hot-Dip Galvanised



- Maximum corrosion-resistance
- Engineered for strength and durability
- Available in 3 lengths

Our Boat Roller Spindles are designed to complete a boat roller assembly in conjunction with a boat roller and bracket. Featuring a Hot-Dip Galvanised coating, ensuring maximum corrosion resistance for both freshwater and salt-water environments. Upgrade your trailer with these roller spindles, which provide robust support and smooth operation for your boat rollers.





LENGTH	145mm	203mm
PRODUCT NAME	Standard Roller Spindle	
PRODUCT CODE	SRS45	SRS60
SPINDLE DIAMETER	M16	M16
FINISH	Hot-dip Galvanised	Hot-dip Galvanised
ROLLER SUITABILITY	4.5"	6"
CARTON QUANTITY	50 units per carton	50 units per carton
MOQ	10	10








LENGTH	240mm	240mm
PRODUCT NAME	Standard Roller Spindle	
PRODUCT CODE	SRS80	SRS80-20
SPINDLE DIAMETER	M16	M20
FINISH	Hot-dip Galvanised	Hot-dip Galvanised
ROLLER SUITABILITY	8"	8"
CARTON QUANTITY	50 units per carton	30 units per carton
MOQ	10	10




Forged Roller Spindles

Hot-Dip Galvanised



- Maximum corrosion-resistance
- Engineered for strength and durability
- Available in 3 lengths

Our Boat Roller Spindles are designed to complete a boat roller assembly in conjunction with a boat roller and bracket. Featuring a Hot-Dip Galvanised coating, ensuring maximum corrosion resistance for both freshwater and salt-water environments. Upgrade your trailer with these roller spindles, which provide robust support and smooth operation for your boat rollers.





LENGTH	145mm	203mm
PRODUCT NAME	Forged Roller Spindle with Washer and Split Pin	
PRODUCT CODE	RS45	RS60
SPINDLE DIAMETER	M16	M16
FINISH	Hot-dip Galvanised	Hot-dip Galvanised
ROLLER SUITABILITY	4.5"	6"
CARTON QUANTITY	60 units per carton	50 units per carton
MOQ	10	10





LENGTH	240mm
PRODUCT NAME	Forged Roller Spindle with Washer and Split Pin
PRODUCT CODE	RS80
SPINDLE DIAMETER	M16
FINISH	Hot-dip Galvanised
ROLLER SUITABILITY	8"
CARTON QUANTITY	50 units per carton
MOQ	10



ATLANTIC PRODUCTS

Boat Trailer Tie-Down Bracket




Hot-Dip Galvanised

- Suits 50×50 Cross Members
- Mounting point for tie-downs
- For aluminium boat trailers

Designed for secure anchoring, this 50×50mm cross member bracket features a welded link for attaching tie-downs to safely secure your boat to your aluminium boat trailer. Built tough with an 8.8 grade bolt and hot-dip galvanised for maximum corrosion resistance, it's engineered to perform in hard marine environments.

BRACKET SIZE	80mm
PRODUCT CODE	UB80
FINISH	Hot-dip Galvanised
CARTON QUANTITY	20 units per carton
MOQ	4





For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

ATLANTIC PRODUCTS

Alloy Mud Guard Support Bracket

Hot-Dip Galvanised




- Secures Aluminium Trailer Guard Support Stem
- Maximum corrosion-resistance
- Suits aluminium boat trailers

Mounts to outside of Aluminium Trailer I-Beam to effectively secure the guard support stem to trailer, preventing movement or rattling.

PRODUCT CODE	ALLOY-TSA
SUITS	Aluminium Trailers
FINISH	Hot-dip Galvanised
CARTON QUANTITY	16 units per carton
MOQ	4






ATLANTIC PRODUCTS


Roller Fasteners

For Keel & Wobble Rollers



- Stainless steel split pin
- Dacromet finish to all washers







PRODUCT NAME	Split Pin (Stainless Steel)	35mm Washer (Roller Spindle)	38mm Washer (Wobble Roller)
PRODUCT CODE	RSSP4X30	RW35MM-10	RW38MM-10
LENGTH	30mm	–	–
DIAMETER	–	35mm	38mm
MATERIAL	Stainless Steel	8.8 Mild Steel	8.8 Mild Steel
FINISH	Stainless Steel	Dacromet	Dacromet
QUANTITY	10 units per pack (250 units per carton ~ 250 packs)	10 units per pack (1000 units per carton ~ 100 packs)	10 units per pack (1000 units per carton ~ 100 packs)
MOQ	10	10	10





35mm Washer for Keel Roller Spindle
CODE: RW35MM-10

Split Pin Stainless Steel
CODE: RSSP4X30

38mm Washer for Wobble Roller
CODE: RW38MM-10

For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au


ATLANTIC PRODUCTS

Bracket Fasteners

8.8 Steel Grade

- Compatible with our Bracket Range
- Bolts includes Washer and Nut











PRODUCT NAME	Wood Yoke Bolt	Adjustable Cross Member Bolt	Adjustable Stem Dome Head Bolt	Winch Mounting Bolt
PRODUCT CODE	M10X75WYB	M10X75CMB	M12X35DHB	WMB
NUT TYPE	Nyloc Nut	Washer and Nut	Standard Nut	Washer and Nut
LENGTH	75mm	75mm	35mm	75mm
DIAMETER	M10	M10	M12	M10
MATERIAL	8.8 Mild Steel	8.8 Mild Steel	8.8 Mild Steel	8.8 Mild Steel
FINISH	Dacromet	Dacromet	Dacromet	Dacromet
QUANTITY	5 units per pack (250 units per carton ~ 50 packs)	5 units per pack (250 units per carton ~ 50 packs)	5 units per pack (250 units per carton ~ 50 packs)	3 units per pack (240 units per carton ~ 80 packs
MOQ	10	10	10	10





Adjustable Cross Member Bolt
CODE: M10X75CMB

Wood Yoke Bolt
CODE: M10X75WYB

Adjustable Stem Dome Head Bolt
CODE: M12X35DHB

Winch Mounting Bolt
CODE: WMB

Boat Trailer Outboard Motor Support Brackets

Hot-Dip Galvanised




- Supports your outboard motor
- Protective rubber nose
- Available in 2 lengths

Travel worry-free with the Atlantic Outboard Motor Support Bracket, designed to securely support your boat's outboard motor during trailer transport. Featuring a protective rubber nose and a hot-dip galvanized finish for superior corrosion resistance, this bracket ensures reliable performance in both freshwater and salt-water environments.





PRODUCT CODE	MSB400MM	MSB730MM
PRODUCT NAME	400mm Motor Support Bracket	730mm Motor Support Bracket
LENGTH	400mm	730mm
FINISH	Hot-Dip Galvanised	Hot-Dip Galvanised
CARTON QUANTITY	4 units per carton	4 units per carton



MSB400MM SPECIFICATIONS



MSB730MM SPECIFICATIONS



ATLANTIC
PRODUCTS

Trailer Spare Parts

ATLANTIC PRODUCTS

Boat Trailer Outboard Motor Support Block

Hard Polyurethane




- Suits single ram trim and tilt systems
- Compatible with all leading brands
- Enables safe highway transportation
- UV stabilised for long-lasting performance

The Outboard Motor Support blocks holds your boat motor in a slightly upward tilted position, providing additional clearance and support for your outboard motor. This reduces stress on the hydraulic system, as well as ensures safe highway transportation.

RETAIL PACKAGING INCLUDED



PRODUCT CODE	OMSB
PRODUCT NAME	Outboard Motor Support Block
MATERIAL	Hard Polyurethane
QUANTITY	36 units per carton
MOQ	9



SPECIFICATIONS

1. RAISE your outboard motor, providing adequate room for your hand.
2. INSERT the Motor Support Block to the hydraulic piston.
3. LOWER your outboard motor and slightly compress to secure the block.







For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

LEEA ASSOCIATE MEMBER

ATLANTIC PRODUCTS


Boat Trailer Blocks


Durable HDPE




- For Aluminium Boats
- UV-stabilised for marine use
- HDPE for minimal friction

Our Boat Trailer Blocks, designed specifically for aluminium boats have excellent UV stabilisation, durability, and impact resistance while minimising abrasion. Used in combination with wood yoke brackets, trailer blocks are essential components which protect and support your boat during launching, retrieval and transportation, in conjunction with rollers.








LENGTH	250mm	350mm	1500mm
PRODUCT CODE	BHTTB250	BHTTB350	TB1500MM
MATERIAL	Durable HDPE	Durable HDPE	Durable HDPE
COMPOSITION	Hollow	Hollow	Solid
COLOUR	Blue	Blue	Blue
QUANTITY	25 units per carton	25 units per carton	6 units per carton
MOQ	5	5	2





Boat Trailer Blocks

Pre-Bend



- For Aluminium Boats
- Aluminium Insert for added support
- HDPE for minimal friction

Our Boat Trailer Blocks, designed specifically for aluminium boats have excellent UV stabilisation, durability, and impact resistance while minimising abrasion. Used in combination with wood yoke brackets, trailer blocks are essential components which protect and support your boat while launching, retrieval and transportation, in conjunction with rollers.



LENGTH -	1500mm
PRODUCT NAME	Pre-Bend Trailer Block
PRODUCT CODE	PBTB1500MM
MATERIAL	Durable HDPE
COLOUR	Blue
QUANTITY	6 units per carton
MOQ	2





Galvanised Steel Skids

Hot-Dip Galvanised



- Galvanised for corrosion resistance
- Pre-Assembled HDPE Skid Strip
- HDPE for ultimate gliding

This premium 1.5m galvanised steel tube comes pre-fitted with Atlantic's UV-stabilised HDPE skid strip for ultra-low friction during boat retrieval and launching. Designed specifically for aluminium boat trailers, the high-grade steel is hot-dip galvanised to withstand harsh marine conditions, offering long-lasting corrosion resistance and dependable support.



LENGTH	1500mm
PRODUCT NAME	Galvanised Steel Skid
PRODUCT CODE	G-BTSS15M
WIDTH	50mm
MATERIAL (SKID STRIP)	Durable HDPE
MATERIAL (TUBE)	Galvanised Steel
COLOUR (STRIP)	Blue
QUANTITY	6 units per carton
MOQ	N/A





Boat Trailer Skid Strips


Hard Teflon



- For Aluminium Boats
- UV-stabilised for marine use
- HDPE for minimal friction


Our Boat Trailer Skid Strips, designed specifically for aluminium boats, have excellent UV stabilisation, durability, and impact resistance while minimising abrasion. Designed to be used in conjunction with rollers and trailer blocks, skid strips are essential components which protect and support your boat while launching, retrieval and transportation.







LENGTH	360mm	1500mm	2000mm
PRODUCT NAME		Teflon Skid Strip	
PRODUCT CODE	BTSS36CM	BTSS15M	BTSS20M
WIDTH	50mm	50mm	50mm
MATERIAL	Durable HDPE	Durable HDPE	Durable HDPE
COLOUR	Blue	Blue	Blue
QUANTITY	100 units per carton	50 units per carton	50 units per carton
MOQ	10	10	10





SPECIFICATIONS

For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

ATLANTIC PRODUCTS

Boat Trailer Safety Chains

Hot-Dip Galvanised



- Complies with ADR requirements
- Available in 5 lengths and 3 thicknesses
- Additional Safety Chain Links available

Available in a range of lengths and sizes, with the option of black coated or Hot-Dip Galvanised for excellent corrosion resistance, our Safety Chains are essential in safeguarding the event in which there is a coupling failure between vehicle and trailer. Complying with ADR requirements, the safety chain rating is stamped every 4 links providing peace of mind, while making it suitable for any trailer.

PRODUCT CODE	SC8MMHDG-11	SC8MMHDG-13	SC8MMHDG-23	SC10MMHDG-12	SC13MMHDG-12
PRODUCT NAME			Safety Chains		
CHAIN THICKNESS	8mm	8mm	8mm	10mm	13mm
NUMBER OF LINKS	11	13	23	12	12
LENGTH	465mm	545mm	970mm	635mm	665mm
FINISH	Galvanised	Galvanised	Galvanised	Galvanised	Galvanised
RATING	1600kg	1600kg	1600kg	2500kg	3500kg
QUANTITY	50 units per carton	50 units per carton	25 units per carton	25 units per carton	15 units per carton

PRODUCT CODE	SC8MMBLK-11	SC8MMBLK-23	SC8MMBLK-13	SC10MMBLK-12	SC13MMBLK-12
PRODUCT NAME			Safety Chains		
CHAIN THICKNESS	8mm	8mm	8mm	10mm	13mm
NUMBER OF LINKS	11	13	23	12	12
LENGTH	465mm	545mm	970mm	635mm	665mm
FINISH	Black Coated	Black Coated	Black Coated	Black Coated	Black Coated
RATING	1600kg	1600kg	1600kg	2500kg	3500kg
QUANTITY	50 units per carton	50 units per carton	25 units per carton	25 units per carton	15 units per carton

PRODUCT CODE	CL8MM	CL10MM
PRODUCT NAME	Safety Chain Links	
CHAIN THICKNESS	8mm	10mm
LENGTH	50mm	70mm
FINISH	Black Coated	Black Coated
QUANTITY	500 units per carton	250 units per carton



ATLANTIC PRODUCTS

Rated D & Bow Shackles



Hot-Dip Galvanised

- Rated D Shackles from 8mm 750kg to 13mm 2000kg
- Available in 8mm, 10mm, 11m and 13mm
- Bulk pack option

Rated from 1000kg to 2000kg, our D and Bow Shackles are built for secure, compliant connections and meet Australian Standards. Perfect for trailers, towing, marine and general load applications.









RATED CAPACITY	750kg	1000kg	1500kg	2000kg
PRODUCT NAME		D-Shackle Retail Pack		
PRODUCT CODE	DS8MM-750	DS10MM-1000	DS11MM-1500	DS13MM-2000
SHACKLE THICKNESS	8mm	10mm	11mm	13mm
QUANTITY	200/carton	100/carton	100/carton	50/carton

RATED CAPACITY	750kg	1000kg	1500kg	2000kg
PRODUCT NAME		D-Shackle Bulk Pack		
PRODUCT CODE	DS8MM-750B	DS10MM-1000B	DS11MM-1500B	DS13MM-2000B
SHACKLE THICKNESS	8mm	10mm	11mm	13mm
RATED CAPACITY	750kg	1000kg	1500kg	2000kg
QUANTITY	300/carton	200/carton	150/carton	100/carton




RATED CAPACITY	1000kg
PRODUCT NAME	Bow Shackle
PRODUCT CODE	BSHACKLE1000B
SHACKLE THICKNESS	10mm
QUANTITY	200 units per carton

For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

ATLANTIC PRODUCTS

45x6 765mm Slipper Springs


Dacromet Finish



- Rust-resistant Dacromet finish
- Each leaf is individually coated
- Pair rating up to 1760kg

The Atlantic Slipper Springs provide supreme corrosion resistance, ensuring long-lasting protection against harsh weather and road conditions. Ideal for a variety of trailer applications.

NUMBER OF LEAFS	3 LEAFS	4 LEAFS	5 LEAFS	6 LEAFS	7 LEAFS	9 LEAFS
PRODUCT NAME	45×6 765mm Slipper Spring					
PRODUCT CODE	3L-SS765-45X6	4L-SS765-45X6	5L-SS765-45X6	6L-SS765-45X6	7L-SS765-45X6	9L-SS765-45X6
RATED CAPACITY (2 SPRINGS)	600kg	900kg	1000kg	1200kg	1400kg	1760kg
LENGTH	765mm	765mm	765mm	765mm	765mm	765mm
WIDTH (PER LEAF)	45mm	45mm	45mm	45mm	45mm	45mm
THICKNESS (PER LEAF)	6mm	6mm	6mm	6mm	6mm	6mm
FINISH	Dacromet	Dacromet	Dacromet	Dacromet	Dacromet	Dacromet
QUANTITY	224 units/pallet	300 units/pallet	300 units/pallet	250 units/pallet	200 units/pallet	200 units/pallet






SPECIFICATIONS

45x6 765mm Hook Tail Springs


Dacromet Finish



- Rust-resistant Dacromet finish
- Each leaf is individually coated
- Pair rating up to 1760kg

The Atlantic Slipper Springs provide supreme corrosion resistance, ensuring long-lasting protection against harsh weather and road conditions. Ideal for a variety of trailer applications.

NUMBER OF LEAFS	3 LEAFS	4 LEAFS	5 LEAFS	6 LEAFS	7 LEAFS	9 LEAFS
PRODUCT NAME	45×6 765mm Slipper Spring with Hook Tail					
PRODUCT CODE	3L-SS765-45X6HT	4L-SS765-45X6HT	5L-SS765-45X6HT	6L-SS765-45X6HT	7L-SS765-45X6HT	9L-SS765-45X6HT
RATED CAPACITY (2 SPRINGS)	600kg	900kg	1000kg	1300kg	1400kg	1760kg
LENGTH	765mm	765mm	765mm	765mm	765mm	765mm
WIDTH (PER LEAF)	45mm	45mm	45mm	45mm	45mm	45mm
THICKNESS (PER LEAF)	6mm	6mm	6mm	6mm	6mm	6mm
FINISH	Dacromet	Dacromet	Dacromet	Dacromet	Dacromet	Dacromet
QUANTITY	400 units/pallet	300 units/pallet	300 units/pallet	250 units/pallet	200 units/pallet	200 units/pallet






SPECIFICATIONS

ATLANTIC PRODUCTS

45x8 710mm Slipper Springs


Dacromet Finish



- Rust-resistant Dacromet finish
- Each leaf is individually coated
- Pair rating up to 2900kg

The Atlantic Slipper Springs provide supreme corrosion resistance, ensuring long-lasting protection against harsh weather and road conditions. Ideal for a variety of trailer applications.

NUMBER OF LEAFS	3 LEAFS	4 LEAFS	5 LEAFS	6 LEAFS	8 LEAFS
PRODUCT NAME	45×8 710mm Slipper Spring				
PRODUCT CODE	3L-SS710-45X8	4L-SS710-45X8	5L-SS710-45X8	6L-SS710-45X8	8L-SS710-45X8
RATED CAPACITY (2 SPRINGS)	1120kg	1500kg	1800kg	2200kg	2900kg
LENGTH	710mm	710mm	710mm	710mm	710mm
WIDTH (PER LEAF)	45mm	45mm	45mm	45mm	45mm
THICKNESS (PER LEAF)	8mm	8mm	8mm	8mm	8mm
FINISH	Dacromet	Dacromet	Dacromet	Dacromet	Dacromet
QUANTITY	350 units/pallet	300 units/pallet	250 units/pallet	250 units/pallet	200 units/pallet






SPECIFICATIONS

ATLANTIC PRODUCTS

45x6 625mm Eye-to-Eye Springs


Black or Dacromet



- Rust-resistant Dacromet finish
- Each leaf is individually coated
- Pair rating up to 2500kg

The Atlantic Eye-to-Eye Springs provide supreme corrosion resistance, ensuring long-lasting protection against harsh weather and road conditions. Ideal for a variety of trailer applications.

	BLACK FINISH		DACROMET FINISH	
PRODUCT NAME	45×6 625mm Eye-to-Eye Spring		45×6 625mm Eye-to-Eye Spring	
PRODUCT CODE	S748	S749	S748D	S749D
RATED CAPACITY (2 SPRINGS)	2000kg	2500kg	2000kg	2500kg
LENGTH	710mm	710mm	710mm	710mm
NUMBER OF LEAFS	7	9	7	9
WIDTH (PER LEAF)	45mm	45mm	45mm	45mm
THICKNESS (PER LEAF)	8mm	8mm	8mm	8mm
QUANTITY	350 units/pallet	300 units/pallet	250 units/pallet	250 units/pallet






SPECIFICATIONS

ATLANTIC PRODUCTS

45x8 710mm Eye-to-Eye Springs


Dacromet Finish



- Rust-resistant Dacromet finish
- Each leaf is individually coated
- Pair rating up to 2100kg

The Atlantic Eye-to-Eye Springs provide supreme corrosion resistance, ensuring long-lasting protection against harsh weather and road conditions. Ideal for a variety of trailer applications.

NUMBER OF LEAFS	3 LEAFS	4 LEAFS	5 LEAFS	6 LEAFS	8 LEAFS	9 LEAFS
PRODUCT NAME	45×8 710mm Eye-to-Eye Spring					
PRODUCT CODE	3L-E2E710-45X8	4L-E2E710-45X8	5L-E2E710-45X8	6L-E2E710-45X8	8L-E2E710-45X8	9L-E2E710-45X8
RATED CAPACITY (2 SPRINGS)	850kg	1100kg	1300kg	1500kg	1900kg	2100kg
LENGTH	710mm	710mm	710mm	710mm	710mm	710mm
WIDTH (PER LEAF)	45mm	45mm	45mm	45mm	45mm	45mm
THICKNESS (PER LEAF)	8mm	8mm	8mm	8mm	8mm	8mm
FINISH	Dacromet	Dacromet	Dacromet	Dacromet	Dacromet	Dacromet
QUANTITY	350 units/pallet	300 units/pallet	250 units/pallet	250 units/pallet	200 units/pallet	200 units/pallet






SPECIFICATIONS

Rocker Roller Springs


Black or Dacromet




- Pair rating up to 4500kg
- Each leaf is individually coated
- Left and right-hand side included

The Atlantic Rocker Roller Springs provide supreme corrosion resistance, ensuring long-lasting protection against harsh weather and road conditions. Ideal for a variety of trailer applications.


	BLACK FINISH		DACROMET FINISH	
PRODUCT NAMES	Rocker Roller Springs		Rocker Roller Springs	
PRODUCT CODES	S752LH / S752RH	S753LH / S753RH	S755LH / S755RH	S756LH / S756RH
RATED CAPACITY (2 SPRINGS)	3500kg (3.5T)	4500kg (4.5T)	3500kg (3.5T)	4500kg (4.5T)
NUMBER OF LEAFS	6	7	6	7
WIDTH (PER LEAF)	60 x 8mm	60 x 8mm	60 x 8mm	60 x 8mm
QUANTITY	25 units/pallet	25 units/pallet	25 units/pallet	25 units/pallet



3.5T SPECIFICATIONS




4.5T SPECIFICATIONS



ATLANTIC PRODUCTS

Parabolic Springs




Dacromet Finish

- No inter-leaf friction
- Pair rating up to 2000kg
- Lighter weight

PRODUCT CODE	S743	S744
LENGTH	770mm	770mm
LEAF WIDTH	941mm	946mm
LEAF THICKNESS	7-13mm	8-15mm
RATED CAPACITY (2 SPRINGS)	750kg	1000kg
FINISH	Dacromet	Dacromet
QUANTITY	550 units per pallet	500 units per pallet

PRODUCT CODE	S745	S746
LENGTH	770mm	770mm
LEAF WIDTH	944mm	949mm
LEAF THICKNESS	9-18mm	10-21.5mm
RATED CAPACITY (2 SPRINGS)	1500kg	2000kg
FINISH	Dacromet	Dacromet
QUANTITY	500 units per pallet	500 units per pallet






SPECIFICATIONS

ATLANTIC PRODUCTS

Parabolic Springs

Black Finish




- No inter-leaf friction
- Pair rating up to 2000kg
- Lighter weight

PRODUCT CODE	S739	S740
LENGTH	770mm	770mm
LEAF WIDTH	941mm	946mm
LEAF THICKNESS	7-13mm	8-15mm
RATED CAPACITY (2 SPRINGS)	750kg	1000kg
FINISH	Black Finish	Black Finish
QUANTITY	550 units per pallet	500 units per pallet

PRODUCT CODE	S741	S742
LENGTH	770mm	770mm
LEAF WIDTH	944mm	949mm
LEAF THICKNESS	9-18mm	10-21.5mm
RATED CAPACITY (2 SPRINGS)	1500kg	2000kg
FINISH	Black Finish	Black Finish
QUANTITY	500 units per pallet	500 units per pallet





SPECIFICATIONS

For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

ATLANTIC
PRODUCTS



Trailer Accessories

ATLANTIC PRODUCTS

Boat Trailer LED Lights Range

- 5 year warranty
- ADR Compliant and CTA Approved
- Waterproof and submersible
- New sequential indicator design



Code: FPKIT1M
Flat Plug and 1m cable with 4-core Y-junction connector + 2 x 30cm 4-core cables with 4-pin female waterproof plugs



Codes: WK4C4M - WK4C10M
2 x 4-core cables with 4-pin male waterproof plugs + Y-junction connector with 8cm 2-core cable with 2-pin male waterproof plug and 15cm 4-core cable with 4-pin male waterproof plug



Code: CLW-Y
2 x White LED Clearance Lights with 30cm 2-core cables + Y-junction connector with 2 x 30cm cables with 2-pin male waterproof plugs




Code: CLAR
2 x Amber + Red LED Clearance Lights with 30cm 2-core cables with 2-pin female waterproof plugs



Code: WK2C3M
2 x 3m 2-core cables with 2-pin female waterproof plugs



Code: NLEDTLRP
Left-hand LED Light and Right-hand LED Light + number plate light with 30cm cable and waterproof plugs



For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

ATLANTIC PRODUCTS

Boat Trailer LED Lights


Waterproof




- 5 year warranty
- ADR Compliant and CTA Approved
- Includes number plate light
- Dynamic sequential indicator

Atlantic's LED Boat Trailer Lights are made from strong polycarbonate lenses which give better illumination and offer longer life than other conventional bulbs.


PRODUCT CODE	NLEDTLRP
PRODUCT NAME	LED Boat Trailer Lights
NUMBER OF LIGHTS	2 per pack
LIGHT DIMENSIONS	148mm x 78mm
QUANTITY	20 units per carton



DYNAMIC SEQUENTIAL INDICATOR



LED LIGHT REAR VIEW



LED LIGHT SIDE VIEW

ATLANTIC PRODUCTS

Flat Plug Connector Kit


+ Y-junction Connector




- ADR Compliant
- 5 year warranty
- Waterproof and submersible

This kit includes a flat plug with 1 metre of cable and a Y-junction connector with 2 x 30cm 4-core cables with waterproof plugs. This configuration enables the attachment and routing of two 4-core cables along both sides of your boat trailer.

PRODUCT CODE	FPKIT1M
PRODUCT NAME	Flat Plug Connector Kit
CABLE LENGTH	1000mm (1m)
CONNECTOR	4-core Y-junction Connector
QUANTITY	20 units per carton





FLAT PLUG AND 1M CABLE WITH 4-CORE Y-JUNCTION CONNECTOR + 2 X 30CM 4-CORE CABLES WITH 4-PIN FEMALE WATERPROOF PLUGS

For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

Amber + Red LED Clearance Lights

Brake + Indicator


- ADR Compliant
- 5 year warranty
- Waterproof and submersible




CLEARANCE LIGHTS WHEN ILLUMINATED

The Amber + Red LED Clearance Light assembly features 30cm of cable with a waterproof plug that connects directly to the 3-metre 2-core cable. When installing both LED Clearance Lights, connect this light via the Y-junction connector.

PRODUCT CODE	CLAR
PRODUCT NAME	Amber + Red LED Clearance Lights
CABLE LENGTH	300mm
QUANTITY	2 units per pack (20 packs per carton)





LED CLEARANCE LIGHTS WITH 30CM 2-CORE CABLES WITH 2-PIN FEMALE WATERPROOF PLUGS

White LED Clearance Lights


+ Y-junction Connector



- ADR Compliant
- 5 year warranty
- Waterproof and submersible

The White LED Clearance Light assembly features 30cm of cable with a waterproof plug that connects to the 3-metre 2-core cable via the included Y-junction connector.

PRODUCT CODE	CLW-Y
PRODUCT NAME	White LED Clearance Lights
CABLE LENGTH	300mm
CONNECTOR	2-core Y-junction
QUANTITY	2 units per pack (20 packs per carton)



LED CLEARANCE LIGHTS WITH 30CM 2-CORE CABLES WITH 2-PIN FEMALE WATERPROOF PLUGS

Y-JUNCTION CONNECTOR WITH 2 X 30CM CABLES WITH 2-PIN MALE WATERPROOF PLUGS

For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

Boat Trailer LED Wiring Kits




2-core cable

- ADR Compliant
- Connects to Clearance Light mounting points
- Waterproof and submersible plugs

Atlantic's Boat Trailer LED Wiring Kits are available with 2 x 3m 2-core cables with waterproof plugs for connecting the Clearance Lights.

PRODUCT CODE	WK2C3M
PRODUCT NAME	2-core LED Light Wiring Kit
CABLE LENGTH	2 x 3m
QUANTITY	10 units per carton





3 METRE 2-CORE CABLES WITH 2-PIN FEMALE WATERPROOF PLUGS

ATLANTIC PRODUCTS

Boat Trailer LED Wiring Kits


4-core cable




- Suits boat trailers up to 10 metres
- Connects to Rear LED Lights
- Waterproof and submersible plugs

Atlantic's Boat Trailer LED Wiring Kits are available in various lengths ranging from 2 x 4m to 10m 4-core cables with waterproof plugs, suitable for boat trailers up to 10 metres in length.

PRODUCT CODE	WK4C4M	WK4C5M	WK4C56M	WK4C6M	WK4C7M	WK4C8M	WK4C10M
PRODUCT NAME	4-core LED Light Wiring Kit						
CABLE LENGTH	2 x 4m	2 x 5m	2 x 5.6m	2 x 6m	2 x 7m	2 x 8m	2 x 10m
QUANTITY	10/carton	10/carton	10/carton	10/carton	10/carton	10/carton	10/carton





4-CORE CABLES WITH 4-PIN MALE WATERPROOF PLUGS + Y-JUNCTION CONNECTOR WITH 8CM 2-CORE CABLE WITH 2-PIN MALE WATERPROOF PLUG AND 15CM 4-CORE CABLE WITH 4-PIN MALE WATERPROOF PLUG

ATLANTIC PRODUCTS

Boat Trailer LED Light Kit


Waterproof

- 5 year warranty
- ADR Compliant and CTA Approved
- Includes number plate light
- Dynamic sequential indicator



Atlantic's LED Boat Trailer Light Kits includes 2 x submersible LED Lights, 2 x Amber + Red LED Clearance Lights and wiring suitable for boat trailers up to 10 metres. Flat Plug Connector with 1 metre cable plus 4-core Y-junction waterproof connector included.

PRODUCT CODE	NLEDTL56MRP	NLEDTL80MRP	NLEDTL100MRP
PRODUCT NAME	5.6m Boat Trailer LED Light Kit	8m Boat Trailer LED Light Kit	10m Boat Trailer LED Light Kit
NUMBER OF REAR LIGHTS	2 per pack	2 per pack	2 per pack
REAR LIGHT DIMENSIONS	148mm x 78mm	148mm x 78mm	148mm x 78mm
CLEARANCE LIGHTS	Not included	2 per kit	2 per kit
2-CORE CABLE LENGTH	Not included	2 x 3m	2 x 3m
4-CORE CABLE LENGTH	2 x 5.6m	2 x 8m	2 x 10m
QUANTITY	10 units per carton	10 units per carton	10 units per carton



LED LIGHT KIT INCLUDES:

BOAT TRAILER LED LIGHTS WITH CABLE + WATERPROOF PLUGS
CODE: NLEDTLRP
QTY: 2



AMBER + RED LED CLEARANCE LIGHTS WITH WATERPROOF PLUGS
NOT INCLUDED WITH 5.6M KIT
CODE: CLAR
QTY: 2



FLAT PLUG AND 1M CABLE WITH Y-JUNCTION CONNECTOR AND 4-CORE CABLES WITH WATERPROOF PLUGS
CODE: FPKIT1M
QTY: 1



5.6m, 8m or 10m 4-CORE CABLES WITH Y-JUNCTION CONNECTOR AND CABLES WITH WATERPROOF PLUGS
CODES: WK4C56M/8M/10M
QTY: 2



3m 2-CORE CABLES WITH WATERPROOF PLUGS
NOT INCLUDED WITH 5.6M KIT
CODE: WK2C3M
QTY: 2



Trailer Light Boards



Easy to install

- Brake, tail and indicator lights included
- Designed for safety and visibility on the road
- Option of LED or bulb lights

Whether you're towing a boat, caravan, or trailer our light boards ensure compliance with road regulations containing brake, tail, and indicator lights. Easy to install and compatible with standard wiring setup, they provide reliable lighting solutions for your towing needs. Upgrade your trailer setup today with our Trailer Light Boards for enhanced safety and peace of mind on every journey.



PRODUCT CODE	LB-BL12MFP
PRODUCT NAME	1.2m Trailer Light Board
LAMP TYPE	Bulb Lamps
LIGHT BOARD LENGTH	1200mm
CABLE LENGTH	6m
PLUG TYPE	Flat with round plugs
QUANTITY	6 units per carton




PRODUCT CODE	LB-LED15MFP
PRODUCT NAME	1.5m Trailer Light Board
LAMP TYPE	LED Lamps
LIGHT BOARD LENGTH	1500mm
CABLE LENGTH	6m
PLUG TYPE	Flat with round plugs
QUANTITY	6 units per carton



For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

ATLANTIC PRODUCTS

Jerry Can Holder with Mount




Hot-Dip Galvanised

- Offers reliable fuel storage
- Convenient for any road trip
- Excellent corrosion resistance


Our Jerry Can Holder with Mount provides excellent corrosion resistance, suitable for both salt and fresh water marine environments. Offers reliable fuel storage, integrating durability and convenience for any journey.




PRODUCT CODE	JC370X180X300
PRODUCT NAME	Jerry Can Holder with Mount
LENGTH	370mm
DEPTH	180mm
HEIGHT	300mm
FINISH	Hot-Dip Galvanised
QUANTITY	1 unit per carton



REAR/BOLTDOWN SPECIFICATIONS



SIDE SPECIFICATIONS



TOP/BASE SPECIFICATIONS

Brake Cable Assembly Kit

Hot-Dip Galvanised



- 2mm PVC-coated
- 4mm or 5mm heavy-duty galvanised cable wire
- Galvanised Cable adjuster and clamps included

Our Brake Cable Assembly Replacement Kit includes 8 or 10 metres of PVC-coated Hot-Dip Galvanised cable wire, cable adjuster, brake cable clamps and pulleys.

PRODUCT CODE	ATLBCA8M	ATLBCA10M	ATLBCA-G-10M
PRODUCT NAME	8m Brake Cable Assembly Kit	10m Brake Cable Assembly Kit	
CABLE LENGTH	8m	10m	10m
CABLE DIAMETER	4mm	4mm	5mm
CABLE COATING	2mm PVC	2mm PVC	N/A
CABLE FINISH	Hot-Dip Galvanised	Hot-Dip Galvanised	Hot-Dip Galvanised
NUMBER OF CLAMPS	4 x M6	4 x M6	4 x M6
NUMBER OF PULLEYS	N/A	2	2
QUANTITY	20 units per carton	20 units per carton	20 units per carton
MOQ	2	2	2





Brake Cable

Spare Parts

- Brake Cable Clamps
- 500m Brake Cable Roll
- Brake Cable Adjuster Brackets
- Brake Cable Pulleys



Our Brake Cable Spare Parts include brake cable clamps, cable roll, adjuster bracket and pulley.







PRODUCT CODE	BCC	500M-7X7BC
PRODUCT NAME	Brake Cable Clamps	500m Brake Cable Roll
SIZE	M5	–
FINISH	Hot-Dip Galvanised	Hot-Dip Galvanised (Cable)
QUANTITY	200 units per carton	1 unit per carton
MOQ	10	N/A







PRODUCT CODE	BCAB	BCP
PRODUCT NAME	Brake Cable Adjuster Bracket	Brake Cable Pulley
FINISH	Hot-Dip Galvanised	Dacromet
QUANTITY	40 units per carton	100 units per carton
MOQ	N/A	10

ATLANTIC PRODUCTS

Wheel Bearings Kits

High-Speed



- Ensures smooth mobility
- Available in 2-part marine seal
- For HT Holden and FD Ford

Atlantic Boat Trailer high-speed Wheel Bearing Kits are designed for maximum load carrying capacity ensuring smooth mobility and long-life of any boat trailer.

PRODUCT CODE	ATL1690S	ATL1707S
PRODUCT NAME	Regular Trailer Wheel Bearings Set	
SUITABILITY	Holden LM	Ford
SEAL	Grease Seal	Grease Seal
AXLE TYPE	39mm Round / 40mm Square	45mm Square
QUANTITY	20 units per carton	20 units per carton

PRODUCT CODE	ATL1688S	ATL1712
PRODUCT NAME	Boat Trailer Wheel Bearings Set	
SUITABILITY	Holden LM	Ford
SEAL	2-Part Marine Grease Seal	2-Part Marine Grease Seal
AXLE TYPE	39mm Round / 40mm Square	45mm Square
QUANTITY	20 units per carton	20 units per carton



Jet-ski Trailer Posts

Hot-Dip Galvanised


- Suits Jet-ski trailers
- Includes a winch carrier and bow roller
- Pre-fitted with rated safety chain
- Suits 75×75 drawbars

Compact and corrosion-resistant, our Jet-ski Winch Trailer Post is ideal for small water-crafts. Each trailer post includes a pre-assembled winch carrier with a bow roller, ensuring secure support and smooth alignment during launch and retrieval.




WINCH NOT INCLUDED

PRODUCT CODE	TPWC-JETSKI
PRODUCT NAME	Trailer Post for Jet-ski Trailer
DRAWBAR SUITABILITY	75 x 75 Drawbar
FINISH	Hot-Dip Galvanised



SIDE PROFILE



MOUNTING PLATE



Tinny Boat Trailer Posts

Hot-Dip Galvanised

- Suits Tinny Boat trailers
- Includes a winch carrier and bow roller
- Pre-fitted with rated safety chain
- Suits 75×75 drawbars


Designed for lightweight boats, our Tinny Winch Trailer Posts offers a strong, stable mounting plate for winches on aluminium or smaller vessels. Galvanised for long-term durability, it's the perfect fit for weekend fishing and casual boaters alike.




WINCH NOT INCLUDED

PRODUCT CODE	TPWC-TINNY
PRODUCT NAME	Trailer Post for Tinny Boat Trailer
DRAWBAR SUITABILITY	75 x 75 Drawbar
FINISH	Hot-Dip Galvanised





SIDE PROFILE



MOUNTING PLATE

For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

Large Trailer Posts

Hot-Dip Galvanised


- Suits Large Boat trailers (18ft+)
- Includes a winch carrier and bow roller
- Pre-fitted with rated safety chain
- Suits 100×100 drawbars

Built for strength and reliability, our Heavy-Duty Winch Trailer Post is engineered to handle boats 18 feet and over. It's robust, galvanised steel constructions delivers unmatched support and corrosion protection in tough marine conditions.




WINCH NOT INCLUDED

PRODUCT CODE	TPWC-LB18+
PRODUCT NAME	Trailer Post Trailer for 18ft+ Large Trailer
DRAWBAR SUITABILITY	100 x 100 Drawbar
FINISH	Hot-Dip Galvanised



SIDE PROFILE



MOUNTING PLATE



ATLANTIC
PRODUCTS



Towing Accessories

ATLANTIC PRODUCTS

Anti-Rattle Hitch Bolt

Zinc-Plated




- Suits Atlantic Bike Rack Hitch Tube
- Prevents static hitch rattle movement
- Ensures a quieter journey

Say goodbye to hitch movement with our Anti-Rattle Hitch Bolt. Designed specifically for Atlantic Bike Racks, it secures the hitch tube, eliminating unwanted play, ensuring a quieter and more secure journey.



PRODUCT CODE	HT-ARCB
PRODUCT NAME	Anti-Rattle Clamp Bolt
SUITS	Fits Atlantic Bike Rack Hitch Tube
QUANTITY	25 units per carton







ATLANTIC PRODUCTS

Anti-Rattle Hitch Plate


U-Bolt Included



- Suitable for a 2" hitch
- Prevents static hitch rattle movement
- Ensures a quieter journey

Say goodbye to hitch movement with our Anti-Rattle Hitch Bracket. It secures 50mm (2") hollow or solid shank mounts, eliminating unwanted play, ensuring a quieter and more secure journey.

PRODUCT CODE	HT-ARC
PRODUCT NAME	Anti-Rattle Hitch Plate and U-Bolt
HITCH SIZE	2" (50mm)
QUANTITY	25 units per carton







For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

LEEA ASSOCIATE MEMBER

NATM

ENGINEERING TESTED

ATLANTIC PRODUCTS

Vertical Bike Racks

Suits 50x50 Hitch




- Vertical bike mount design
- Weather-Resistant powder coating
- e-Bike compatible
- Suit bicycles wheels up to 29"


Our Hitch-Mounted Vertical Bike Rack is the ultimate transport solution for riders who value convenience and efficiency. Designed to carry up to 6 bikes, it features a tilting mechanism for effortless loading and unloading. Its secure, space-saving design ensures safe, hassle-free transport.

NUMBER OF BICYCLES	3 BIKES	4 BIKES	5 BIKES	6 BIKES
PRODUCT NAME	Vertical Bike Rack			
PRODUCT CODE	ATLBR003	ATLBR004	ATLBR005	ATLBR006
WIDTH	809mm	1109mm	1409mm	1689mm
HEIGHT	1408mm	1408mm	1408mm	1408mm
DEPTH (FROM REAR OF VEHICLE)	800mm	800mm	800mm	800mm
CAPACITY (MAX 23kg/BIKE)	69kg	92kg	115kg	138kg
WEIGHT	21.8kg	24.2kg	28.2kg	32kg
QUANTITY	1 unit/carton	1 unit/carton	1 unit/carton	1 unit/carton

USER GUIDE

WATCH THIS VIDEO ON HOW TO SETUP YOUR ATLANTIC VERTICAL BIKE RACK.







Garage Stands

For Vertical Bike Rack




- Caster wheels for effortless mobility
- Keeps your space neat and tidy
- Perfect for garages, apartments and sheds

The Atlantic Garage Stand keeps your bikes secure, elevated, and neatly organised, freeing up valuable floor space and de-cluttering your garage. Built for durability and easy installation, it's the perfect way to maximise storage efficiency while keeping your bikes within reach.

PRODUCT CODE	BRGM
PRODUCT NAME	Garage Stand for Vertical Bike Rack
WEIGHT	17.5kg
DIMENSIONS (L x D x H)	890mm x 1220mm x 280mm
QUANTITY	1 unit per carton

SUGGESTED PRODUCTS

VERTICAL BIKE RACKS
FOR THE FULL RANGE, REFER TO THE BIKE RACKS IN THE TOWING ACCESSORIES SECTION.





For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

Trailer Lock

Includes Padlock



- Keep your trailer safe from thieves
- Made from hardened steel
- Includes padlock and keys

Made from hardened steel with an anti-corrosion zinc coating, keeping your trailer safe from thieves.

PRODUCT CODE	TRAILER-LOCK
PRODUCT NAME	Trailer Lock
QUANTITY	12 units per carton



ATLANTIC PRODUCTS

Tow Ball Products

Accessories

- 50mm Chrome Tow-ball
- Double-chrome plated
- 62mm long thread



Atlantic Products offer a wide variety of tow ball accessories including tow balls and covers.



PRODUCT CODE	CTB50X62C
PRODUCT NAME	50mm Chrome Tow Ball
DIMENSIONS	50mm
SHANK LENGTH	62mm
CAPACITY	3.5 Tonne
FINISH	Chrome
QUANTITY	20 units per carton









PRODUCT CODE	TBCC	TBCB
PRODUCT NAME	Chrome Tow Ball Cover	Black Tow Ball Cover
DIMENSIONS	50mm	50mm
FINISH	Chrome	Black
QUANTITY	12 units per pack (300 units per carton ~ 25 packs)	12 units per pack (300 units per carton ~ 25 packs)

For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

LEEA ASSOCIATE MEMBER
NATM
ENGINEERING TESTED

Tow Bar Products

Accessories



- Soft UV treated shin protector
- ADR Compliant
- Tow-bar available in 3 lengths

Atlantic Products offer a wide variety of tow bar accessories including tow bars and shin protectors.





PRODUCT CODE	SHINPRO	LGPIN
PRODUCT NAME	Shin Protector	Hitch Pin and R-Clip
SIZE	–	5/8"
FINISH	–	Zinc
MATERIAL	Black Rubber	High Grade Steel
QUANTITY	40 units per carton	100 units per carton
MOQ	N/A	10



PRODUCT CODE	URNP
PRODUCT NAME	Universal Rubber Number Plate Bracket
SIZE	–
FINISH	–
MATERIAL	Black Rubber
QUANTITY	50 units per carton



ATLANTIC PRODUCTS

Automatic Boat Latch

For boats up to 25ft



- Suitable for fibreglass and aluminium boats
- Perfect for solo launching
- Manufactured from 316 Stainless Steel
- Up to 4.5T tensile capacity strength









PRODUCT CODE	ATLBL-F	ATLBL-A
PRODUCT NAME	Automatic Boat Latch for Fibreglass Boats	Automatic Boat Latch for Aluminium Boats
MATERIAL	316 Stainless Steel	316 Stainless Steel
QUANTITY	5 units per carton	5 units per carton

Launch Smarter. Retrieve Safer.

HOW TO LAUNCH YOUR BOAT:

1. Reverse down the ramp to a depth sufficient to launch and shallow enough that your boat does not float, remaining in contact with the trailer. (See Fig 1)
2. Remove your safety chains and tie-downs, slowly releasing your winch. Allowing your boat to safely retreat and be caught by the latch.
3. Set the latch to the launch position by pulling the spring loaded lever to the right.
4. Power toward the winch post, taking load off the latch and allowing it to disengage. Power down and slide down effortlessly into the water. (See Fig 2)



FIG 1



FIG 2

HOW TO RETRIEVE YOUR BOAT:

1. With your trailer positioned at the ramp, at the depth advised during launching. Set the latch to the retrieve position by pulling the spring loaded lever to the left. (See Fig 3)
2. Align your boat with the centre of the trailer and slowly power towards the winch post.
3. Continue forward until contact is made with your bow roller and when you hear click, as the boat latch engages with the bow eye. (See Fig 4)
4. Power down your motor and allow your boat to roll back safely into the latch. It doesn't get much easier than that.(See Fig 5)



FIG 3



FIG 4



FIG 5


For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

LEEA ASSOCIATE MEMBER

NATM

ENGINEERING TESTED

ATLANTIC
PRODUCTS



Tie-Down Ratchets


ATLANTIC PRODUCTS


How to Secure a Jet-ski with our Tie-Downs

SECURE THE STERN ON BOTH SIDES
Use shorter tie-downs to prevent backward movement. The shorter length makes it ideal for tight spaces or smaller trailers.
Code: ATL1825/ATL1825SS
(Large Boat: ATL1550)


SECURE THE MIDDLE
The narrow 25mm webbing makes it easy to thread through tight spaces.
Code: ATL4025/ATL4025SS
(Large Boat: ATL5550)

SECURE THE BOW
Use a bow strap to hold the entire front of the jet-ski in place.
Code: ATL1825/ATL1825SS
(Large Boat: ATL1550)







Unfold the Tie-Down Ratchet strap and thread the strap through the bearing.



Thread the strap through the centre slot of the ratchet tie-down bearing.



To tighten the ratchet mechanism, swing the handle back and forth.



Tighten and close the ratchet. Straps should be firm but not overtightened.

SECURE ANY LOOSE ENDS.
Prevent flapping by tucking away excess strap length.

For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

LEEA ASSOCIATE MEMBER
NATM
ENGINEERING TESTED

Tie-Down Ratchets

Jet-ski & Small Boats



- 1.8m x 25mm reinforced nylon webbing strap
- Suit Jet-ski + boat trailers up to 14ft
- Available in Stainless Steel

2 PACK (PAIR)

SECURES THE STERN AND BOW OF A JET-SKI

SECURES THE STERN AND BOW OF A SMALL BOAT

A quick, safe solution to securing load on your boat trailer, each Atlantic Tie-Down Ratchet includes PVC-covered hooks and UV stabilised and reinforced nylon webbing straps. The shorter length makes it ideal for tight spaces or smaller trailers. The 200kg capacity is suitable for securing lighter water-craft without excessive tension.



PRODUCT CODE	ATL1825
PRODUCT NAME	1.8m Tie-Down Ratchet
WEBBING LENGTH	1.8m
WEBBING WIDTH	25mm
RATCHETS	Pair
SUITABILITY	Jet-ski/Small Boat
LASHING CAPACITY	200kg
QUANTITY	30 units per carton

PRODUCT CODE	ATL1825SS
PRODUCT NAME	1.8m Stainless-Steel Tie-Down Ratchet
WEBBING LENGTH	1.8m
WEBBING WIDTH	25mm
RATCHETS	Pair
SUITABILITY	Jet-ski/Small Boat
LASHING CAPACITY	200kg
QUANTITY	30 units per carton



ATLANTIC PRODUCTS

Tie-Down Ratchets

Jet-ski & Small Boats



- 4m x 25mm reinforced nylon webbing strap
- Suit Jet-ski + boat trailers up to 14ft
- Available in Stainless Steel

1 PACK (SINGLE)

SECURES THE REAR (BOW) OF A JET-SKI

SECURES THE BOW, OVER THE BOAT OR BOW EYE TO TRAILER POST

A quick, safe solution to securing load on your boat trailer, each Atlantic Tie-Down Ratchet includes PVC-covered hooks and UV stabilised and reinforced nylon webbing straps. The narrow 25mm webbing makes it easy to thread through tight spaces. Works well for lighter boats, ensuring stability without applying excessive pressure.



PRODUCT CODE	ATL4025
PRODUCT NAME	4m Tie-Down Ratchet
WEBBING LENGTH	4m
WEBBING WIDTH	25mm
RATCHETS	Single
SUITABILITY	Jet-ski/Small Boat
LASHING CAPACITY	200kg
QUANTITY	14 units per carton

PRODUCT CODE	ATL4025SS
PRODUCT NAME	4m Stainless-Steel Tie-Down Ratchet
WEBBING LENGTH	4m
WEBBING WIDTH	25mm
RATCHETS	Single
SUITABILITY	Jet-ski/Small Boat
LASHING CAPACITY	200kg
QUANTITY	14 units per carton



For more information call 1300 214 049, visit our website at atlanticproducts.com.au or email info@atlanticproducts.com.au

LEEA ASSOCIATE MEMBER

NATM

ENGINEERING TESTED

ATLANTIC PRODUCTS

Tie-Down Ratchets

Large Boats



- 1.5m x 50mm reinforced nylon webbing strap
- Suit Large Boats
- Available in Stainless Steel

2 PACK (PAIR)


SECURES THE STERN AND BOW OF A LARGE BOAT

A quick, safe solution to securing load on your boat trailer, each Atlantic Tie-Down Ratchet includes PVC-covered hooks and UV stabilised and reinforced nylon webbing straps. The higher 400kg weight capacity provides extra security for heavier loads. The wider 50mm webbing distributes pressure more evenly, reducing strain on the hull.



PRODUCT CODE	ATL1550
PRODUCT NAME	1.5m Tie-Down Ratchet
WEBBING LENGTH	1.5m
WEBBING WIDTH	50mm
RATCHETS	Pair
SUITABILITY	Large Boat
LASHING CAPACITY	400kg
QUANTITY	14 units per carton

PRODUCT CODE	ATL1550SS
PRODUCT NAME	1.5m Stainless-Steel Tie-Down Ratchet
WEBBING LENGTH	1.5m
WEBBING WIDTH	50mm
RATCHETS	Pair
SUITABILITY	Large Boat
LASHING CAPACITY	400kg
QUANTITY	14 units per carton



Tie-Down Ratchets

Large Boats



- 5.5m x 50mm reinforced nylon webbing strap
- Suit Large Boats
- Available in Stainless Steel

1 PACK (SINGLE)

SECURES THE BOW, OVER THE BOAT OR BOW EYE TO TRAILER POST FOR A LARGE BOAT

A quick, safe solution to securing load on your boat trailer, each Atlantic Tie-Down Ratchet includes PVC-covered hooks and UV stabilised and reinforced nylon webbing straps. The 50mm webbing width prevents damage to the hull while ensuring a firm hold. The 400kg capacity makes it ideal for securing heavier boats during transport. Also available in stainless steel.



PRODUCT CODE	ATL5550
PRODUCT NAME	5.5m Tie-Down Ratchet
WEBBING LENGTH	5.5m
WEBBING WIDTH	50mm
RATCHETS	Single
SUITABILITY	Large Boat
LASHING CAPACITY	400kg
QUANTITY	14 units per carton

PRODUCT CODE	ATL5550SS
PRODUCT NAME	5.5m Stainless-Steel Tie-Down Ratchet
WEBBING LENGTH	5.5m
WEBBING WIDTH	50mm
RATCHETS	Single
SUITABILITY	Large Boat
LASHING CAPACITY	400kg
QUANTITY	14 units per carton



Notes

Atlantic Products are 100% Australian owned and operate from their corporate headquarters based in Adelaide, South Australia.

Stocked by leading distributors around Australia and overseas, Atlantic Products manufactures and distributes a range of winches, wheels and trailer accessories for the marine, agricultural, mining and construction industries.

Due to their rapid expansion, Atlantic Products has positioned warehouse facilities in all key cities of Australia; plus Shanghai and Hong Kong for faster lead times to key markets in Europe, Africa and the USA.

ATLANTIC PRODUCTS

FOR ALL SALES AND ENQUIRIES:

Free call 1300 214 049

Email info@atlanticproducts.com.au

www.atlanticproducts.com.au

Please note all information contained in this document is correct at time of printing. Atlantic Products reserves the right to modify any information without prior notice. © 2026 Atlantic Products Pty Ltd.

DAL6524/v05.08.2026

Atlantic Products are industry members with:

NATIONAL ASSOCIATION OF TRAILER MANUFACTURERS NATM

LEEA ASSOCIATE MEMBER